



WORKSHOP CATALOGUE

- **♦** Assortment Boxes
- Beacons
- **♦** Consumables
- **♦** Electrical
- **♦ Tools**
- **♦ Trailer Parts**

V2

Catalogue Range

Filter Catalogue

A comprehensive guide for identifying and selecting filters.

- -Filter Applications
- -Filter Cross Reference
- -Filter Images / Dimensions

Spare Parts Catalogue

Covering our vast range of non genuine spare parts for small plant and construction.

- -Disc Cutter Parts
- -Small Engine Parts
- -Miscellaneous Engine Parts

Garden & Forestry Catalogue

Covering our brushcutter and lawnmower range as well as chainsaw parts and safety equipment

- -Brushcutter/Lawnmower Parts
- -Chainsaw Parts
- -Safety Clothing & Equipment

Workshop Catalogue

Beacons, Workshop consumables, Tools & Accessories.

- -Assortment Boxes / Nuts & Bolts
- -Beacons
- -Tools & Accessories

Pressure Washer Catalogue

Covering our range of pressure washer spares & engine spares to suit pressure washers.

- -Pressure Washer Spares
- -Popular Engine Spares to suit washers
- -Popular Filters to suit washers











Contents

2-21	Lighting
22-23	Hygiene Products
24-25	Spark Plugs
26-35	Assortment Kits
36-43	Pumps, Syphons & Accessories
44-47	Misc
48-55	Electrical
56-79	Consumables
80-85	Tools
86-87	Safety
88-99	Trailer Parts

Detailed index: Page 100

Standard LED Beacons

Our Standard LED beacon range are suitable for use on vans, trucks cars, agricultural & plant machinery.

Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
- 70mph Rating on Magnetic Beacons







MODE

MODE









Image	Part Number	Voltage	Description
1	Z9221/LED	12/24V	Magnetic LED Beacon
2	Z9223/LED	12/24V	Flexi LED Beacon
3	Z9229/LED	12/24V	Single Bolt LED Beacon
4	Z9447/LED	12V	1/2 Lens Flexi LED Beacon
5	Z9880/Orange	Repla	acement Lens Standard
6	Z9881/Orange	Replacer	ment Lens (Z9447/LED Only)



Green LED Beacons

Our Green LED beacon range are suitable for use on plant equipment in conjuction with seatbelt warning systems.

Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
- 70mph Rating on Magnetic Beacons







MODE

IX FLASHIN MODE

UAL FLAS









Models: Image Part Number Voltage Description 1 Z9221/Green 12/24V Magnetic LED Beacon 2 Z9223/Green 12/24V Flexi LED Beacon

Z9223/Green 2 12/24V Flexi LED Beacon 3 Z9229/Green 12/24V **Single Bolt LED Beacon** Z9447/Green **12V** 4 1/2 Lens Flexi LED Beacon 5 Z9880 **Green Replacement Lens Standard** Green Replacement Lens (Z9447/LED Only) Z9881

(€ IP65

Green LED Beacon Seatbelt Kits

Our Green LED beacon seatbelt kits feature our standard LED beacon fitted with a green lens. Supplied with a retractable seatbelt with an integral microswitch, our seatbelt kit meets all current site safety regulations.

Features:

- Dual Voltage 12/24V
- Green Lens
- Belt with integral microswitch
- 3 Selectable Flash patterns
- 70mph Rating on Magnetic Beacons



G SIX FLASHIN



SHING D

UAL FLASH MODE







Image	Part Number	Description
1	Z9888/MAGKIT	Green Magnetic Beacon + Belt
2	Z9888/SBKIT	Green Single Bolt Beacon + Belt
3	Z9888/FLEXIKIT	Green Flexi Stem Beacon + Belt
4	Z9807	Seatbelt - Integral Microswitch
5	Z9663	Lap Seatbelt



VIVI Low Profile LED Beacons

Our VIVID LED beacons are smaller and brighter than standard LED beacons.

Features:

- Reflective Technology (Brighter than Standard)
- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
- 70mph Rating on Magnetic Beacons







ASHING DUAL FLAS









Image	Part Number	Description
1	Z9758	12/24V Vivid Magnetic LED Beacon
2	Z9759	12/24V Vivid Single Bolt LED Beacon
3	Z9760	12/24V Vivid Flexi LED Beacon
4	Z9799/Orange	Orange Lens Suits 'Vivid' Range



VIVI Green Low Profile LED Beacons

Our VIVID LED beacons are smaller and brighter than standard LED beacons.

Features:


- Reflective Technology (Brighter than Standard)
- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
- 70mph Rating on Magnetic Beacons







HING DUAL FLAS







4 Parket State of the state of

Image	Part Number	Description
1	Z9758/Green	12/24V Vivid Magnetic LED Beacon
2	Z9759/Green	12/24V Vivid Single Bolt LED Beacon
3	Z9760/Green	12/24V Vivid Flexi LED Beacon
4	Z9799	Green Lens Suits 'Vivid' Range



VIVI LED Beacon Seatbelt Kits

Our VIVID LED beacon seatbelt kits feature our smaller and brighter VIVID beacon fitted with a green lens. Supplied with a retractable seatbelt with an integral microswitch, the seatbelt kit meets all current site safety regulations.

Features:

- Dual Voltage 12/24V
- Green Lens
- Belt with integral microswitch
- 3 Selectable Flash patterns
- 70mph Rating on Magnetic Beacons













Image	Part Number	Description
1	Z9808/MAGKIT	Green Magnetic Beacon + Belt
2	Z9808/SBKIT	Green Single Bolt Beacon + Belt
3	Z9808/FLEXIKIT	Green Flexi Stem Beacon + Belt
4	Z9807	Seatbelt - Integral Microswitch
5	Z9663	Lap Seatbelt



VIVID Plus LED Beacons

Our VIVID Plus beacon range are our lowest profile beacons yet. Suitable for use on vans, trucks, cars, agricultural & plant machinery.

Features:

- 3 Selectable Flash Patterns
- Ultra Low Profile
- Reflective Technology
- Encapsulated Electronics
- 70mph Rated (Magnetic)









Image	Part Number	Voltage	Description
1	Z9837	12/24V	VIVID Plus Single Bolt
2	Z9838	12/24V	VIVID Plus Magnetic
3	Z9839	12/24V	VIVID Plus Flexi



Flexi Beacon Mounting Spigot



Bolt On Beacon Mounting Spigot

- Suits 12 & 24V Beacons
- Rubber Cover to Protect Terminals.

Part Number	Description
Z9761	Flexi Beacon Mounting Spigot



90° Side Fixing Beacon Spigot

- Suits 12 & 24V Beacons
- Rubber Cover to Protect Terminals

۱	Part Number	Description
	Z9824	90 ° Beacon Mounting Spigot



Twin Bolt Beacon Mounting Spigot

- Suits 12 & 24V Beacons
- Rubber Cover to Protect Terminals

Part Number	Description
Z9825	Twin Bolt Beacon Spigot



Fold Down Beacon Mounting Spigot

- Suits 12 & 24V Beacons
- Rubber Cover to Protect Terminals

Part Number	Description
Z9825	Fold Down Beacon Spigot

LED Worklamps



10-30V 4" Square LED Worklamp

- 27W
- 1800 Lumen / 60° Flood / 40° Spot
- IP67 Waterproof Rating

Part Number	Description
Z9683	27W Square LED Worklamp



10-30V Round LED Worklamp

- 27W
- 1800 Lumen / 60° Flood / 40° Spot
- IP65 Water Resistant Rating

1	Part Number	Description
	Z9731/1	27W Round LED Worklamp



9-32V Round LED Worklamp

- 12W
- IP67 Waterproof Rating

Part Number	Description
Z9850	12W Round LED Worklamp



Rechargeable LED Magnetic Worklamp

- 10-30V
- Magnetic Base & Carrying Handle
- Rechargeable Battery

Part Number	Description
Z9762	Rechargeable LED Worklamp

LED Lamps



Battery Powered Amber LED Lamp

- Magnetic

- Amber
- Requires 4 x AA Batteries (Not Included)

Part Number	Description
Z9822	Magnetic Amber LED Light

Narrow 6 LED Worklamp

- 43mm 18W / 1800 Lumen
 - Spot / Flood Beam
 - IP67

Z9823 18W Flood Worklamp	
·	

Marker Lights



Red / Amber Marker Lights

- Available with 3 / 4 / 6 LEDS
- 8 Flash Patterns

Part Number	LEDs	Description
Z9803/3	3	3 LED Amber Marker Light
Z9803/4	4	4 LED Amber Marker Light
Z9803/6	6	6 LED Amber Marker Light
Z9860/4	4	4 LED Red Marker Light

Stalk End Outline Marker Lamp

- Marks the edge of vehicles
- Red/White

Part Number	Description
Z9897	Stalk Red / White Marker Lamp

56 LED Recovery Lightbar



60CM LED Recovery Lightbar

- 56*3W LEDs
- 26 Flash Patterns
- Magnet/Bolt Installation
- Amber
- DC12-24V

IP65, ECE R10, ECE R65, CE Rated

Dimensions:

H: 123mm / 56mm

L: 595mm

W: 305mm

33" ATV / Boat Lightbar



33" 10-30V 180W ATV Lightbar

- Toughened Glass Lens
- 6000-6500K Spot / Flood Beam
- 11800LM
- IP67 Waterproof rating

Premium LED Recovery Bars



60/90/120CM LED Recovery Lightbars

- 72/102/132 x 3W LEDs
- 299mm Deep
- 95mm Height (Inc Bracket)
- Remote controlled via userpad
- 17 Flashing Patterns
- Unobstructed 360° lighting



IP65, ECE R10, ECE R65, CE Rated

Part Number	Description
Z9840/60cm	60cm Recovery Lightbar
Z9840/90cm	90cm Recovery Lightbar
Z9840/120cm	120cm Recovery Lightbar

Lightbars



Magnetic LED Mini Lightbar

- 8 Flash Patterns
- 12-24V
- 400(L) x 185(W) x 80(H)

Part Number	Description		
Z9834	Rectangle LED	Lightba	r



Magnetic VIVID LED Lightbar

- 36LED x 3W
- 12-24V
- 419(L) x 204(W) x 150(H)

Ì	Part Number Z9835	VIVID LED Lightbar
٦	Z9835	VIVID LED LIghtbar



Low Profile Magnetic VIVID LED Lightbar

- -24LED x 3W
- -12-24V
- 419(L) x 204(W) x 80(H)

Part Number	Description
Z9836	VIVID Slim LED Lightbar



Round Low Profile Magnetic LED Lightbar

- 12-24V
- Bolt/Magnetic Fittings
- 165 (W) x 70 (H)

Part Number	Description
Z9833	Round LED Lightbar


Lightbars

Our LED lightbars are suitable for use on vans, trucks, cars, agricultural & plant machinery.

Features:

- Amber LED's
- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- 60mph Safety Rating





Part Number	Voltage	Description	
Z9675	12/24V	Magnetic LED Lightbar	
Z9676	12/24V	Single Bolt LED Lightbar	



Four Bolt LED Lightbar

Features:

- Amber LED's
- Dual Voltage 12/24V
- 60mph Safety Rating

Part Number	_	Description	
Z9675	12/24V	4 Bolt LED Lightbar	

REDUCED TO CLEAR

Trailer Lighting

Z8573/Left

Rear LED 6 Function
Combination Lamp (Left)



Description: EUROPE ONLY

Z8573/Right

Rear LED 6 Function Combination Lamp (Right)



Description: EUROPE ONLY

Z8574/Left

Rear LED 5 Function
Combination Lamp (Left)



Description: EUROPE ONLY

Z8574/Right

Rear LED 5 Function Combination Lamp (Right)



Description: EUROPE ONLY

Z8575

Aspock Compatible Lighting Harness 7 Pin to 2x5 Pin



Description:

Suitable for use with: Z8574/Left & Z8574/Right

EUROPE ONLY

Z8576

Aspock Compatible Lighting Harness 13 Pin to 2x7 Pin




Description:

Suitable for use with: Z8573/Left & Z8573/Right

EUROPE ONLY

Z8595/Left

Rear LED 6 Function Combination Lamp (Left)



Z8595/Right



Rear LED 6 Function Combination Lamp (Right)

Description: UK & ROI ONLY

Z8596/Left



Rear LED 12 LED Rectangle Combination Lamp (Left)

Description: UK & ROI ONLY

Z8596/Right



Rear LED 12 LED Rectangle Combination Lamp (Right)

Description: UK & ROI ONLY

Trailer Lighting

Z8455

12V LED Square Rear Combination Lamp



Description:

100mm x 100mm x 35mm 14 LED Mounting: 2 x 5mm Holes

Z8568

Radex Square Combination Lamp



Description:

104mm x 97.5mm x 50mm Bulbs: R382 & R380

Z8508

License/ Number Plate Lamp



Description:

68mm x 64mm x 34mm 5W Tubular Bulb

Z8509

Interior Lamp 900mm



Description:

5W Tubular Bulb Mounting: 3 holes Ø 5mm

Z8507



LED Radex Outline Marker

Description:

99mm x 47mm x 70mm White/Red

Z8562





Description:

100mm x 100mm x 35mm Magnetic Fixtures 12m Cable 7 Pin Plug

Z8510/Left

3 LED Side Marker Lights



Description: Indicator Left Side

Z8510/Right

3 LED Side Marker Lights



Description:

Indicator Right Side

Z8563

Rear LED Fog Light



Description:

100mm x 80mm x 25mm 19 LED

Z9897



Side Marker Lamp

Description: White/Red

Trailer Lighting

Z8621/Left

6 Function Left Hand Trailer Lamp



Description: 5 Pin

Z8621/Right

6 Function Right Hand Trailer Lamp



Description: 9 Pin

Z8537

Rear Lamp Protector (Small)



Description: 140mm x 105mm x 80mm

Z8538



Description: 230mm x 105mm x 80mm

Z8539

Rear Lamp Protector (Large)



Description: 250mm x 140mm x 80mm

Z8540





Description: 280mm x 159mm x 75mm

Z8577

Lighting Board+Fog Light (EUROPE ONLY)



Description: 1370mm x 150mm 7 Pin Plug 6m Cable

Z8577/LED



LED Lighting Board+Fog Light (EUROPE ONLY)

Description:

1370mm x 150mm 7 Pin Plug 9m Cable

Z9217



Lighting Board (UK & ROI ONLY)

Description:

10m Cable

Z9219



Lighting Board (UK & ROI ONLY)

Description:

4m Cable

Reversing Alarms



- 12-36V Reversing Alarm

- Twin Terminal

- 107dB



Z9501 12-36V Reversing Alarm

Part Number Description

- 12-80V Reversing Alarm - 107dB Twin TerminalMagnetic Base

Part Number	Description
Z9802	12-80V Reversing Alarm



- 12V Reversing Alarm

- LED Flashing Light

Part Number	Description
Z9801	12V Reversing Alarm + LED Light

White Noise Reversing Alarm



White noise reversing alarms make a 'shh-shh' noise that is louder within the danger areas.

-12-48V

- 'White Noise'

- 107dB

Part Number	Description
Z8088	12-48V White Noise Reversing Alarm

Horns



- Single / Twin

- 12V

- High Note Horn

Part Number	Description
Z9800	12V Electromagnetic Horn


Bulbs

Automotive Bulbs

Part No.	Fig.	Description	Voltage	Watts	Application
R472	1	P43T	12V	60/55W	Head Lamp/Fog
R473	1	P43T	12V	100/55W	Head Lamp/Fog
R477	1	H7	12V	55W	Head Lamp/Fog
R474	1	H7	24V	70W	Head Lamp/Fog
R475	1	P43T	24V	75/70W	Head Lamp/Fog
R239	2	S8.5d	12V	5W	Interior/Panel
R265	2	Festoon	12V	10W	Interior/Panel
R272	2	Festoon	12V	10W	Interior/Panel
R207	3	BA15S SCC	12V	5W	Brake/Side/Tail
R209	3	BA15D SBC	12V	5W	Brake/Side/Tail
R149	3	BA15S SCC	24V	5W	Brake/Side/Tail
R150	3	BA15D SBC	24V	5W	Brake/Side/Tail
R246	3	BA15S	24V	10W	Brake/Side/Tail
R247	3	BA15S	24V	5W	Brake/Side/Tail
R286	4	W2 x 4.6D Capless	12V	1.2W	Interior/Panel
R297	4	Wedge	12V	2/2.2W	Brake/Indicator/Reverse
R501	4	Capless	12V	_5W	Brake/Side/Tail
R504	4	W2.1 x 9.5D Capless	12V	3W	Interior/Panel
R505	4	W2.1 x 9.5D Capless	24V	3W	Interior/Panel
R507	4	W2.1 x 9.5D Capless	24V	5W	Brake/Side/Tail
R508	4	W2 x 4.6D Capless	24V	1.2W	Interior/Panel
R508T	4	B8.5D	24V	1.2W	Interior/Panel
R335	5	SBC	12V	21W	Brake/Indicator/Reverse
R343	5	Amber Bulb	12V	21W	Brake/Indicator/Reverse
R380	5	BAY15D	12V	12/5W	Brake/Side/Tail
R381	5	SBC	12V	21/5W	Brake/Side/Tail
R382	5	BA15S SCC	12V	21W	Brake/Side/Tail
R566	5	Offset Pins	12V	21/5W	Brake/Side/Tail
R581	5	Amber Bulb	12V	21W	Brake/Indicator/Reverse
R588	5	Amber Bulb	24V	21W	Brake/Indicator/Reverse
R241	5	BA15S SCC	24V	21W	Brake/Indicator/Reverse
R334	5	BAY15D OSP	24V	24/6W	Brake/Side/Tail
R339	5	BA15S SCC	24V	24W	Brake/Indicator/Reverse
R346	5	BA15D SBC	24V	21W	Brake/Indicator/Reverse
R249	6	BA9S	24V	4W	Brake/Side/Tail
R289	6	BA9S	24V	2W	Brake/Indicator/Reverse
R650	7	E10	24V	3W	Brake/Indicator/Reverse
R410	8	P45T	12V	45/40W	Head Lamp/Fog
R448	9	P14.5S H1	12V	55W	Head Lamp/Fog/Beacons
R453	9	PK22S H3	12V	55W	Head Lamp/Fog
R499	9	H1 P14.5S	12V	130W	Head Lamp/Fog
R460	9	H3	24V	70W	Head Lamp/Fog
R466	9	P14.5S H1	24V	70W	Head Lamp/Fog/Beacons


Bulbs & Bulb Holders

Bulb Diagrams




Diagrams are given as a representative image only. Please use only for identifying the style of bulb.

Warning Lights



Heating Bulbs



Bulb Holders



Gloves & Hygiene Products

Z9851





Black Nitrile Gloves Heavy Duty

Powder Free (Qty 100)




Sizes:



Sizes:







Paper Wipers



3 Ply Blue Roll

Size: 400mm x 370m 62mm Core

Z9375

2 Ply Blue Rolls (Qty 6)

Size: 18cm Wide 400 Sheets per roll 60mm Core



2 Ply White Toilet Rolls (Qty 36)



Description: 200 Sheets per roll

Z9327

Standard Coloured Rags (10kg)

Description: Assorted wiping rags

Z9378



Stockinette Roll (800g)

Description:

Cotton roll ideal for cleaning & polishing



Heavy Duty Hand Wipes (Qty 150)

Description:

- No water required
- Cleaning of hands/surfaces/tools
- Use immediately for best results

NGK Spark Plugs

Popular NGK Spark Plugs

Part No.	NGK Number	Champion Number	Common Application
M5344	BPMR7A	RCJ6Y	Stihl / Husqvarna
M5345	BPR6ES	RN9YC	Honda
M5378	CR5HSB		Honda GXH50
M5380	ВРМ7А	CJ6Y	
M5469	BKR5E		Ride on mowers
M5482	BM6A	C)8	
M5500	BR2LM		Briggs & Stratton





These are our most popular plugs. For any other plug you require please contact us.

Popular NGK Spark Plug Covers









These are our most popular plug covers. For any others you require please contact us.

Spark Plug Covers

Spark Plug Covers





Spark Plug Cover & Spring



Spark Plug Cover

Description:

models



Spark Plug Tools

















































































































































































































































































Storage

Assortment Kit Storage





Yellow Storage Bins









White stacking spacers included with each bin.

Electric Fuel Pumps

Square Body Electric Fuel Pump



Note: Additional accessories only included with 12V Pump

Specification:

- 4-6PSI
- 140L/Hr Flow Rate
- Negative Earth
- Built in pressure release
- Corrosion resistant

Part No.	Description	
Z9660	12V Universal Electric Fuel Pump	
Z9660/24V	24V Universal Electric Fuel Pump	

Round Body Electric Fuel Pump



Specification:

- 3-6PSI
- 1.3L/min Flow Rate
- 8mm Pipes
- 2 Bolt Fixing
- Plug in connector (May be removed to fit terminals)

Part No.	Description
Z9668	12V Universal Electric Fuel Pump
Z9668/24V	24V Universal Electric Fuel Pump

12V Facet Style Fuel Pump



Specification:

- 8mm Unions
- 12V Insulated Earth
- 40GPH / 150L/hr
- 6-8PSI

Replaces:

RTW506, 480532E

Part No.	Description
Z9673	12V Facet Red Top Style Pump

Fuel Injection Pump 0580464070 Equivalent



Specification:

- Cars up to 250BHP
- Fast high pressure flow
- 3-3.5 BAR
- 12mm input / 8mm output

Replaces:

Bosch 0580464070

Part No.	Description
Z9690	0580464070 Equivalent Pump

Fuel Injection Pump 0580464073 Equivalent



Specification:

- Suits Iveco Daily Mk2 & Mk3
- Diameter: 52mm
- Full length: 212mm
- Tube length: 118mm

Replaces:

Iveco 0580464073

Part No.	Description
Z9670	0580464073 Equivalent Pump

Transfer Pumps

12V Diesel Transfer Pump (Optional Nozzle & Pipe Kit)



12V Diesel Transfer Pump:

Transfer pump suitable for use with Diesel, Oil & Kerosene.

Specification:

- 12V
- 175W
- Max Lift 10m
- Max Suction 5m
- 45L/min flow rate
- 25mm Pipe Fittings

Premium Nozzle with Digital Meter:

Easy to use refuelling nozzle featuring an easy to read digital fuel meter.

Specification:

- 1" Inlet
- 0-60L/min Flow Rate
- ± 1% Accuracy
- -10 to 60C Operating Temperature
- Approx 9000 Hour Battery Life



12V Diesel Transfer Pump Kits

Complete kits for transfering Diesel, Oil or Kerosene.

Contents:

- 1 x Z9688 Transfer Pump
- 1 x Suction Hose
- 1 x Delivery Hose
- 1 x Plastic Suction Filter
- 1 x Fuel Nozzle (Metered Nozzle upgrade available)
- Appropriate fittings

Part No.	Description
Z9688	12V Diesel Transfer Pump
Z9701	Fuel Nozzle with Digital Meter
Z9688/Kit	12V Diesel Transfer Pump Kit (Standard Nozzle)
Z9688/Meter	12V Diesel Transfer Pump Kit (Metered Nozzle)

12V Electric Fuel Transfer Pump



Specification:

- Max Flow Rate (Motor Oil): 3L/min
- Max Flow Rate (Diesel/Heating Oil): 4L/min
- 5 amp
- 12V
- 60w
- 1/2" Connectors

Part No.	Description
Z9693	12V Electric Transfer Pump 60W

Transfer Pumps

12V Submersible Pump (55mm O.D)



12V Submersible Pump (55mm):

Submersible pump for use with diesel, fuel & water.

Specification:

- Height: 175mmDiameter: 55mm
- 9ft Cable
- 1/2" Outlet
- 30L/min
- 2m Hose

Part No.	Description
Z9654	12V Submersible Pump (No Hose)
Z9654/WH	12V Submersible Pump (Including Hose)

12V Submersible Pump (38mm O.D)



12V Submersible Pump (38mm):

Submersible pump for use with diesel, fuel & water.

Whale pump equivalent, 38mm O.D to fit oil barrels.

Specification:

- Height: 155mm
- Diameter: 38mm
- 16mm Outlet
- 12L/min flow rate
- 3m Hose

1	Part No.	Description
	Z9889	12V Submersible Pump (No Hose)
	Z9889/WH-3M	12V Submersible Pump (Including Hose)

6.5L Oil Extraction Pump



6.5L Manual Extractor Pump:

Suitable for extracting oil, diesel, water & other low viscosity fluids. Not suitable for petrol. Works at any angle. Not to be used to store removed fluids.

Specification:

- 6.5L Capacity
- 5.8mm OD x 1m, 9.8mm OD x 1m, 6.7mm OD x 1m
- 100°C Max Temperature

Part No.	Description
Z9379	6.5L Manual Extractor Pump

6.5L Oil Extraction Pump



Oil Change Extractor Kit:

Suitable for extracting oil from small engines & lawnmwers.

Specification:

- 1L Waste Container
- 0.3L Hand Pump
- Plastic funnel & Flexible tube


Part No.	Description
Z9370	Manual Extractor Pump

Pump Accessories


















Hydraulic Couplings





Pump Accessories

Lay Flat Hose

Specification:

- 2" / 3" Reinforced Lay Flat Hose
- 3BAR Max Pressure
- Available in 20m / 100m Lengths

Part No.	Description		
Z9599/20	2" Reinforced Layflat Hose 20m		
Z9599	2" Reinforced Layflat Hose 100m		
Z9600/20	3" Reinforced Layflat Hose 20m	K	



Type 'A' Female Camlock Coupling

Description:

Part No.	Size
M5666/2	2"
M5666/3	3"





Type 'C' Hose Shank Camlock Coupling



Description:

Part No.	Size		
M5668/2	2"	$\overline{}$	
M5668/3	3"		

M5669

Type 'D' Female Camlock Coupling

Description:

Part No.	Size
M5669	2"

M5670

Type 'E' Hose Shank Camlock Coupling



Description:

Part No.	Size
M5670	2"

M5671



Type 'F' Male Thread Camlock Coupling

Sizes:

Part No.	Size
M5671	2"

Z9766/2



2" Aluminium Hose Joiner

Description:

•	
Part No.	Size
Z9766/2	2"

Z9766/3





Sizes:

Part No.	Size
Z9766/3	3"

Fuel Line

Braided Fuel Line (Black)



Braided Fuel Line (Black)

Part No.	I/D	Length
Z8466	1/4"	25ft
Z9692	3.5mm	5 m
Z9749/1m	5.0mm	1m
Z9749	5.0mm	10m
Z9629/1m	6.0mm	1m
Z9629/3m	6.0mm	3m
Z9629	6.0mm	10m
Z9630/1m	8.0mm	1m
Z9630/3m	8.0mm	3m
Z9630	8.0mm	10m
Z9631/1m	10.0mm	1m
Z9631/3m	10.0mm	3m
Z9631	10.0mm	10m
Z9746/1m	12.5mm	1m
Z9746/3m	12.5mm	3m
Z9746	12.5mm	10m

Rubber Fuel Line



Rubber Fuel Line

Part No.	I/D	O/D	Length	Colour
Z9458	3/16"	5/16"	30m	Clear
Z8616	2.0mm	5.0mm	1m	Black
Z9535/3m	2.0mm	4.0mm	3m	Yellow
Z8078	2.0mm	4.0mm	5m	Red
Z9535	2.0mm	4.0mm	30m	Yellow
Z8617	2.5mm	5.0mm	5m	Blue
Z8071/1M	3.0mm	5.5mm	1m	Yellow
Z8071	3.0mm	5.5mm	5m	Yellow
Z8497	3.0mm	5.0mm	15m	Black
Z9459/15M	6.0mm	9.0mm	15m	Clear
Z9459/30M	6.0mm	9.0mm	30m	Clear
Z8589	6.35mm	9.52mm	15m	Black
Z9695	6.5mm	9.5mm	15m	Yellow
Z8590	7.9mm	12.7mm	15m	Black

Clear Braided Fuel Line



Clear Braided Fuel Line

Part No.	I/D	Length
Z8251	6.0mm	30m
Z8252	8.0mm	30m
Z8253	10.0mm	30m
Z8254	13.0mm	30m
Z8499	19.0mm (3/4")	30m

Fuel Line Accessories



Universal On/Off Fuel Tap



Description: 1/4" Nipple

Z9095

On/Off Inline Fuel Tap



Description: 1/8" Pipe Thread 1/4" Nipple

Z9096

1/4" Fuel Cut-off Valve



Description:

Suits multiple applications inc. Briggs & Stratton Quantum

E6914

On/Off Inline Fuel Tap



Description:

M10 x 1.25 Thread Outlet Suits 6mm Hose

Z8421/Size

Fuel Line Clamps



Description:

-		
Part No.	Size	
Z8421/7.5	7.5mm	
Z8421/13.0	13.0mm	
Z8421/15.0	15.0mm	

Z9608

Assorted 'O' Clips 1/4"-3/4" 140pcs



25 x 8-11mm

20 x 15-18mm 20 x 17-20mm

25 x 9-12mm 25 x 11-13mm

25 x 13-15mm

Imperial 'O' Clips



Part No.	I/D	Qty
Z8469	3/8"	25
Z8470	7/16"	25
Z8471	1/2"	25
Z8472	9/16"	25
Z8473	5/8"	25
Z8474	3/4"	25
Z8475	7/8"	25

Fuel Micro Clips


Fuel Micro Clips





Part No.	Size (mm)	Qty
Z8467	6-11	25
Z8468	11-19	25
Z9924	6-11 / 11-19	50


Hose Menders














Gas Strut - ID Sheet

GAS STRUT IDENTIFICATION SHEET

FOR A GAS STRUT TO YOUR OWN SPECIFICATION PLEASE COMPLETE THE DETAILS BELOW AND **FAX TO OUR SALES OFFICE** FAX: TEL: Α PLEASE GIVE ALL DIMENSIONS IN MM D F ROD DIA (normally 8mm or 10mm) Ε OPEN LENGTH cr to cr В OPEN LENGTH less ends F FORCE (NEWTONS) G END FITTINGS (eye or ball stud) С ROD LENGTH (stroke) FITTING CR, S (eye or ball stud) TUBE DIA (normally 18mm or 22mm) Steel Ball Joint Steel Ball Joint Clevis Fork Eyelet Plastic Safety Ball Joint TYPE 1 TYPE 2 TYPE 3 TYPE 4 TYPE 6 N. B. IF EYELET ENDS PLEASE GIVE HOLE DIA AND THICKNESS GENERAL COMMENTS OR ADDITIONAL INFORMATION REQUESTED BY: DATE: TEL: COMMENTS: **REPLY FROM:** DATE: PART NUMBER COST EACH **AVAILABILTY**

Request a Copy:

Contact us and we can fax or email you a copy of this sheet to fill in.

Gas Struts

Popular Gas Strut Applications

Part No.	Manufacturer	Model/O.E Number	Α	В	С	Newtons
GS7151	Atlas Copco	XAS35, XAS45	510	455	200	700
GS5496	Atlas Copco	XAS46, XAS66	400	350	150	1300
GS11522	Bomag	BW120	520	460	205	300
GS5514	Bomag	BW161 (Engine Cover)	385	341	155	1300
GS1294	Bomag	BW161 (Scraper Bar)	225	170	60	400
GS2175	Bomag	BW161 (Door)	400	350	150	150
GS2175	Bomag	BW213 (Door)	400	350	150	150
GS6109	Bomag	BW219	900	850	400	1700
GS7079	Compair	20	500	456	200	300
GS7240	Compair	25	515	455	200	300
GS7187	Compair	85	500	456	200	1000
GS4528	Compair	Hydrovane HV4/7	310	250	100	800
GS7168	Compair	Zitair 85 & 125	515	455	200	600
GS8009	Ingersoll-Rand	P101, P130, P150, P180	700	640	300	290
GS7100	Ingersoll-Rand	P101WD, P600W	515	455	200	300
GS4634	J.C.B	120/92806	250	200	75	250
GS5823	J.C.B	123/05404	345	295	125	250
GS3164	J.C.B	231/55103	500	455	195	300
GS4530	J.C.B	331/14573	330	385	190	460
GS4529	J.C.B	331/20895	430	390	180	450
GS5815	Масо	45	545	500	235	700
GS5007	Maco	65	585	535	250	900
GS7240	Thwaites	5 & 6 Tonne 14488	515	455	200	1000
GS5815	Thwaites	5 & 6 Tonne	490	425	180	1350
GS7691	Tool Chest	Large	800	756	350	600
GS7532	Tool Chest	Wilson Generators	710	650	300	600

Wider range available Contact us and we can help you find a gas strut to suit your needs.

Gas Strut Ends



Part No.	Length	Thread	Hole Dia.
EF06	22.5mm	6mm	8mm
EF07	22.5mm	8mm	8mm
EF07/10	22.5mm	8mm	10mm
EF52	22.5mm	10mm	10mm



Part No.	Length	Thread	Male Th.
EF35	20mm	6mm	8mm
EF28	25mm	6mm	8mm
EF45	25mm	8mm	8mm
EF19	30mm	8mm	8mm
EEAA	25mm	10mm	10mm



Part No.	Length	Thread	Hole Dia.
EF29	21mm	6mm	8mm
EF30	21mm	8mm	8mm



Part No.	Length	Thread	Male Th.
EF18	18mm	6mm	8mm
EF20	18mm	8mm	8mm



Part No.	Length	Thread	Hole Dia.
EF22	22.5mm	6mm	8mm
EF08	22.5mm	8mm	8mm

Float Blades

13" Float Blade

Fits 36" Clipper Power Float machines

Includes a pair of bolts and spring washers



Dimensions:

- L: 330mm
- W: 200mm
- D: 3mm

Part No.	Description		
Z9088	13" EMC Float Blade		

14" Float Blade

Fits 36" Power Float machines (Excluding Clipper)

Includes a pair of bolts and spring washers



- L: 350mm
- W: 200mm
- D: 3mm



Z9089 14" MI	BC Float Blade

18" Float Blade

Fits 46" & 48" Power Float machines

Includes a pair of bolts and spring washers



- L: 450mm
- W: 200mm
- D: 3mm




Part No.	Description
Z9090	18" MBC Float Blade

Drive Belts


'A' Belts

Part No.	Belt Size
A24F	A24
A25F	A25
A26F	A26
A27F	A27
A28F	A28
A29F	A29
A30F	A30
A31F	A31
A32F	A32
A33F	A33
A34F	A34
A35F	A35
A36F	A36
A37F	A37
A38F	A38




Kevlar Belts

Part No.	Belt Size
M5329	A24K
M5330	A29K



'SPZ' V Belts

Part No.	Belt Sze
SPZ813	SPZ813
SPZ838	SPZ838



110V/240V Electrical Parts

110V Extension Lead (Yellow)



Description:

Part No.	Length	Amp
Z9231/2.5	2.5m	32
Z9231/4.0	4.0m	32




110V Plug (Yellow)



Description:

Part No.	Amp
Z9203/16A	16
Z9203/32A	32



110V Panel Socket



Description:

Part No.	Amp
Z9877/16A	16
Z9877/32A	32



240V Plug (Blue)

Description:

Part No.	Amp
Z9204/16A	16
Z9204/32A	32

240V Coupler (Blue)



Description:

4	Part No.	Amp
	Z9206/16A	16
	Z9206/32A	32



240V 3 Core Cable (Blue) 100m

Description:

Part No.	Thickness
Z9237/1.5	1.5mm
Z9237/2.5	2.5mm

240V Panel Socket



Description:

Part No.	Amp
Z9878/16A	16
Z9878/32A	32

Electrical Parts









Trailer Plugs & Sockets



12V 7-Pin Trailer Plug



Description: Metal

Z9471/Metal



12V 7-Pin Trailer Socket

Description: Metal

Z9470/Plastic

12V 7-Pin Trailer Plug



Description: Plastic

Z9471/Plastic



12V 7-Pin Trailer Socket

Description: Plastic .

Z8503

13 Pin Bayonet Trailer Plug



Description: Plastic

Z8490



13 Pin Bayonet Trailer Socket

Description:

Plastic

Takeover contact for fog light 3 Mounting Holes Ø5.5

Z8446



Trailer Socket Conversion Adaptor 13pin-7pin

Description:

8-Pin Plug 7-Pin Socket



Trailer Socket Conversion Adaptor 7pin-13pin

Description:

7-Pin Plug 13-Pin Socket

Z8572





Description:

13/8 Pin Plastic Plugs

Z9898/3M





Description:

7 Pin Plastic Plugs

Electrical Cable

Single Core Cable

Part No.	Cable Type	Copper Strands	mm²	Amps	Length	Colours Available
Z8400/C	Single Core	9/0.30	0.65	5.75	50m	
Z8401/C	Single Core	14/0.30	1	8.75	50m	
Z8402/C	Single Core	28/0.30	2	17.5	50m	
Z8403/C	Single Core	44/0.30	3	27.5	30m	
Z8404/C	Single Core	65/0.30	4.5	35	30m	
Z8405/C	Single Core	120/0.30	8.5	60	30m	
Z8406/C	Single Core	80/0.40	10	70	30m	















Battery/Welding Cable

Part No.	Cable Type	Copper Strands	mm²	Amps	Length	Colours Available
Z8407/C	Battery/Welding	206/0.30	16	110	10m	
Z8408/C	Battery/Welding	322/0.30	25	170	10m	
Z8409/C	Battery/Welding	451/0.30	35	240	10m	
Z8410/C	Battery/Welding	539/0.30	40	300	10m	
Z8411/C	Battery/Welding	640/0.30	50	345	10m	
Z8412/C	Battery/Welding	805/0.30	60	415	10m	
Z8413/C	Battery/Welding	905/0.30	70	485	10m	
Z8414/C	Battery/Welding	684/0.40	95	500	10m	





Flat Twin Core

Part No.	Cable Type	Copper Strands	mm²	Amps	Length	Colours Available
Z8415/30	Flat Twin Core	2 x 9/0.30	2 x 0.65	5.75	30m	
Z8416/30	Flat Twin Core	2 x 14/0.30	2 x 1.0	8.75	30m	
Z8416/100	Flat Twin Core	2 x 14/0.30	2 x 1.0	8.75	100m	
Z8417/30	Flat Twin Core	2 x 28/0.30	2 x 2.0	17.5	30m	
Z8417/100	Flat Twin Core	2 x 28/0.30	2 x 2.0	17.5	100m	



Batteries





Description:

Qty 4









Battery Terminals



Battery Terminal (40mm² Cable) 9.5mm Diameter

Description:

١	Part No.	Size
	BT1+	Positive
	BT1-	Negative





Battery Terminal (70mm² Cable) 14mm Diameter

Description:

Part No.	Size
BT3+	Positive
BT3-	Negative



Battery Terminal 8mm Stud /

Description:

Part No.	Size
BT4+	Positive
BT4-	Negative



Battery Terminal 10mm Stud / Wingnut

Description:

Part No.	Size	
BT5+	Positive	
BT5-	Negative	



Battery Terminal Offset

Description:

Part No.	Size
BT6+	Positive
BT6-	Negative



Battery Terminal 10mm Stud / Nut

Description:

Part No.	Size
BT10+	Positive
BT10-	Negative



Z9610



Crimp Type Battery Terminal

Description:



Crimp Type Battery Terminal

Description:



Battery Terminal Quick Release

Description: Pair

Fuses

Blade Fuses

Micro

Part No. Amp Z8269/3 3 Z8269/4 4 5 Z8269/5 7.5 Z8269/7.5 Z8269/10 10 Z8269/15 15 Z8269/20 20 Z8269/25 25 Z8269/30 30 Z8269 200pc Mixed

. •	
Part No.	Amp
Z8619/3	3
Z8619/4	4
Z8619/5	5
Z8619/7.5	7.5
Z8619/10	10
Z8619/15	15
Z8619/20	20
Z8619/25	25
Z8619/30	30
Z8619	100pc Mixed

Mini

Standard


Part No.	Amp
Z8620/1	1
Z8620/2	2
Z8620/3	3
Z8620/4	4
Z8620/5	5
Z8620/7.5	7.5
Z8620/10	10
Z8620/15	15
Z8620/20	20
Z8620/25	25
Z8620/30	30
Z8620/40	40
Z8620	90pc Mixed

Maxi

Part No.	Amp
Z8462/20	20
Z8462/30	30
Z8462/40	40
Z8462/50	50
Z8462/60	60
Z8462/70	70
Z8462/80	80
Z8462/90	90
Z8462/100	100
Z8462	50pc Mixed
















Electrical Terminals

	RED	BLUE	YELLOW
Con to Ja	Z9311/2.8 2.8mm Z9311/4.8 4.8mm Z9311/6.3 6.3mm	Z9299/4.8 4.8mm Z9299/6.3 6.3mm	Z9316/6.3 6.3mm Z9316/9.5 9.5mm
	Z9301/2.8 2.8mm Z9301/4.8 4.8mm Z9301/6.3 6.3mm	Z9300/4.8 4.8mm Z9300/6.3 6.3mm	Z9315/6.3 6.3mm Z9315/9.5 9.5mm
	Z9639 3.3mm Z9434 18.4 x 2.3mm	Z9619 4.0mm Z9632 18,4 x 2,3mm	Z9641 5.5mm Z9642 10.0 x 2.8mm
	Z9633 12.0mm	Z9634 12.0mm	Z9643 14.0mm
	Z9635/3.2 3.2mm (6BA) Z9635/3.7 3.7mm (4BA) Z9635/4.3 4.3mm (3BA) Z9635/5.3 5.3mm (2BA) Z9635/6.4 6.4mm (0BA)	Z9636/3.2 3.2mm (6BA) Z9636/3.7 3.7mm (4BA) Z9636/4.3 4.3mm (3BA) Z9636/5.3 5.3mm (2BA) Z9636/6.4 6.4mm (0BA)	Z9644/3.7 3.7mm (4BA) Z9644/4.3 4.3mm (3BA) Z9644/5.3 5.3mm (2BA) Z9644/6.4 6.4mm (0BA)
	Z9314/3.2 3.2mm (6BA) Z9314/3.7 3.7mm (4BA) Z9314/4.3 4.3mm (3BA) Z9314/5.3 5.3mm (2BA) Z9314/6.4 6.4mm (0BA) Z9314/8.4 8.4mm (5/16) Z9314/10.5 10.5mm (3/8)	Z9313/3.2 3.2mm (6BA) Z9313/3.7 3.7mm (4BA) Z9313/4.3 4.3mm (3BA) Z9313/5.3 5.3mm (2BA) Z9313/6.4 6.4mm (0BA) Z9313/8.4 8.4mm (5/16) Z9313/10.5 10.5mm (3/8) Z9313/13.0 13.0mm (1/2)	Z9317/4.3 4.3mm (3BA) Z9317/5.3 5.3mm (2BA) Z9317/6.4 6.4mm (0BA) Z9317/8.4 8.4mm (5/16) Z9317/10.5 10.5mm (3/8) Z9317/13.0 13.0mm (1/2)
5	Z9304 6.3mm	Z9305 6.3mm	Z9645 6.3mm
	Z9312 6.3mm Z9302 4.0mm	Z9306 6.3mm Z9298 5.0mm	Z9646 6.3mm Z9647 5.0mm
	Z9303 4.0mm	Z9307 5.0mm	Z9648 5.0mm
	Z9637	Z 9340	Z9649
	Z9638 6.3mm	Z9640 6.3mm	

Keys





































Keys





























Cable Ties

Imperial Nylon Cable Ties

Part No.	Length	Quantity	Colour
M5308	4"	100	White
M5309	5.5"	100	White
M5310	8"	100	White
M5456	10"	100	White
M5457	11"	100	White
M5311	12"	100	White
M5651	12" (7.6mm)	100	White
Z9407	28"	100	White
M5308/Black	4"	100	Black
M5309/Black	5.5"	100	Black
M5310/Black	8"	100	Black
M5311/Black	12"	100	Black



Metric Nylon Cable Ties

Part No.	Size	Quantity	Colour
M5471	370mm x 4.8mm	100	White
M5472	370mm x 7.6mm	100	White
M5473	580mm x 12.7mm	100	White
M5473/25	580mm x 12.7mm	25	White
M5472/Black	370mm x 7.6mm	100	Black
M5471/Black	370mm x 4.8mm	100	Black



Cable Tie Bases


Part No.	Size	Quantity	Colour
Z9453/White	25mm x 25mm	100	White
Z9861/Black	19mm x 19mm	100	Black
Z9862/Black	28mm x 28mm	100	Black





Coloured Cable Ties


Part No.	Length	Quantity	Colour
M5310/Blue	8"	100	Blue
M5311/Blue	12"	100	Blue
M5310/Brown	8"	100	Brown
M5311/Brown	12"	100	Brown
M5310/Green	8"	100	Green
M5311/Green	12"	100	Green
M5310/Grey	8"	100	Grey
M5311/Grey	12"	100	Grey
M5310/Orange	8"	100	Orange
M5311/Orange	12"	100	Orange
M5310/Purple	8"	100	Purple
M5311/Purple	12"	100	Purple
M5310/Red	8"	100	Red
M5311/Red	12"	100	Red
M5310/Yellow	8"	100	Yellow
M5311/Yellow	12"	100	Yellow



Tape

Coloured PVC Tape

Part No.	Description	Colour	Quantity
Z9014	PVC Tape	Black	1
Z9014/Blue	PVC Tape	Blue	1
Z9014/Brown	PVC Tape	Brown	1
Z9014/Earth	PVC Tape	Earth	1
Z9014/Green	PVC Tape	Green	1
Z9014/Grey	PVC Tape	Grey	1
Z9014/Red	PVC Tape	Red	1
Z9014/White	PVC Tape	White	
Z9014/Yellow	PVC Tape	Yellow	1
Z9014/C	Mixed PVC Tape	1 of Each + 2 Black	10



Tape













Hose Clips

Steel Hose Clips

Part No.	Diameter (mm)	Description
E6060	8-12	Steel Hose Clip
E6061	10-16	Steel Hose Clip
E6062	12-20	Steel Hose Clip
E6063	16-25	Steel Hose Clip
E6064	20-32	Steel Hose Clip
E6065	27-38	Steel Hose Clip
E6066	35-40	Steel Hose Clip
E6067	37-57	Steel Hose Clip
E6068	43-64	Steel Hose Clip
E6069	56-76	Steel Hose Clip
E6070	67-83	Steel Hose Clip
E6071	65-89	Steel Hose Clip
E6313	89-100	Steel Hose Clip







Stainless Steel Hose Clips

Part No.	Diameter (mm)	Description	Equivalent
Z8477/12	9.5-12	Stainless Steel Hose Clip	000
Z8477/16	11-16	Stainless Steel Hose Clip	МОО
Z8477/20	13-20	Stainless Steel Hose Clip	00
Z8477/22	14-22	Stainless Steel Hose Clip	0
Z8477/25	17-25	Stainless Steel Hose Clip	ОХ
Z8477/30	22-30	Stainless Steel Hose Clip	1A
Z8477/40	25-35	Stainless Steel Hose Clip	1
Z8477/45	35-45	Stainless Steel Hose Clip	
Z8477/50	35-50	Stainless Steel Hose Clip	2A
Z8477/55	40-55	Stainless Steel Hose Clip	2
Z8477/60	45-60	Stainless Steel Hose Clip	2X
Z8477/70	50-70	Stainless Steel Hose Clip	3
Z8477/80	60-80	Stainless Steel Hose Clip	3X
Z8477/90	70-90	Stainless Steel Hose Clip	4
Z8477/100	80-100	Stainless Steel Hose Clip	4X
Z8477/120	90-120	Stainless Steel Hose Clip	5
Z8477/140	110-140	Stainless Steel Hose Clip	6/6X
Z8477/160	130-160	Stainless Steel Hose Clip	7

Part No.	Description
Z8477/MIX	Assorted Stainless Steel Hose Clips (000-2A)









Drill Bits

Premium Drill Bits (Imperial)

Part No.	Diameter (mm)	Qty
Z9433-1/16	1/16"	10
Z9433-5/64	5/64"	10
Z9433-3/32	3/32"	10
Z9433-7/64	7/64"	10
Z9433-1/8	1/8"	10
Z9433-5/32	5/32"	10
Z9433-11/64	11/64"	10
Z9433-3/16	3/16"	10
Z9433-13/64	13/64"	10
Z9433-7/32	7/32"	10
Z9433-15/64	15/64"	10
Z9433-1/4	1/4"	10
Z9433-17/64	17/64"	10
Z9433-9/32	9/32"	10
Z9433-19/64	19/64"	10
Z9433-5/16	5/16"	10
Z9433-21/64	21/64"	10
Z9433-11/32	11/32"	5
Z9433-23/64	23/64"	5
Z9433-3/8	3/8"	5
Z9433-25/64	25/64"	5
Z9433-13/32	13/32"	5
Z9433-27/64	27/64"	5
Z9433-7/16	7/16"	5
Z9433-29/64	29/64"	5
Z9433-15/32	15/32"	5
Z9433-31/64	31/64"	5
Z9433-1/2	1/2"	5



Premium Drill Bits (Metric)

Part No.	Diameter (mm)	Qty
Z9433/2.0	2.0mm	10
Z9433/2.5	2.5mm	10
Z9433/3.0	3.0mm	10
Z9433/3.5	3.5mm	10
Z9433/4.0	4.0mm	10
Z9433/4.5	4.5mm	10
Z9433/5.0	5.0mm	10
Z9433/5.5	5.5mm	10
Z9433/6.0	6.0mm	10
Z9433/6.5	6.5mm	10
Z9433/7.0	7.0mm	10
Z9433/7.5	7.5mm	10
Z9433/8.0	8.0mm	10
Z9433/8.5	8.5mm	10
Z9433/9.0	9.0mm	5
Z9433/9.5	9.5mm	5
Z9433/10.0	10.0mm	5
Z9433/10.5	10.5mm	5
Z9433/11.0	11.0mm	5
Z9433/11.5	11.5mm	5
Z9433/12.0	12.0mm	5
Z9433/12.5	12.5mm	5
Z9433/13.0	13.0mm	5



Adhesives





Sleeve & Bush

Description:

50g

Also known as Bearing fit

Z8339



Description:

Brake & Airline Sealant

Slow cure pipe sealant

Z8340







Ignition Switches





Description:

Screw terminals

Lucas SPB106 Button Switch

M5389



Description:

6 Contact

Universal Ignition Switch


Z8002













Aerosols

GT85 Maintenance Spray



- GT85 is the PTFE spray that amateurs and professionals use in over 18 countries worldwide.
- GT85 can be used in car maintenance and finishing.
- GT85 protects, lubricates and starts damp engines. It will protect paintwork, woodwork, vinyl, plastic and chrome.
- GT85 is a strong penetrating oil / maintenance spray and will free rusted bolts, hinges, door and window gear.

Part No.	Description
Z9157	GT85 Maintenance Spray

Lubricants, Cleaners & Sprays

Z9274/R

Carburettor Cleaner



- Removal of carbon
- Improves engine performance
- Improved fuel efficiency

450ml

Z9265



Brake & Clutch Cleaner

- Removes brake dust, oil and grease
- Protects against rust and corrosion
- Apply without dismantling parts

400ml

Z8344



Clear Grease Spray

- Heat & water resistant
- Protects against corrosion
- Anti fling properties
- Ideal for use on brake linkages, gears, hinges & doors.

400ml

Z8345

White Grease Spray

- Heat & water resistant
- Protects against corrosion
- Anti fling properties
- Ideal for use on brake linkages, gears, hinges & doors.
- Contains P.T.F.E

<u>400ml</u>

Z8346

Copper Grease Spray



- Eliminates part seizure
- Works up to 1200°C
- Ideal for chains, hinges & locks

<u>400ml</u>

Z8347

Chain & Cable Lube

- Prevents rusting
- Prevents against saltwater
- Extends chain life
- Anti fling properties

<u>400ml</u>

Aerosols

Z8348



Drilling & Tapping Spray

- Reduces heat to prolong tool
- · Reduces friction
- Speeds up drilling & cutting

400ml

Z8349




Silicone Spray

- Suitable for use on metal. plastic, rubber & vinyl
- Use to release moulds
- Use to lubricate slides,
- bearings & conveyors etc
- Effective up to 180°C

400ml

Z8350



- Rapidly frees seized nuts
- Helps prevent further
- corrosion
- Residual lubricant to reduce friction

400ml

Z8351



Belt & Dressing Spray

- Keeps belts clean & in good condition
- Improves grip in all conditions to reduce slippage
- Lengthens belt life by reducing excess wear

400ml

Z9586



Electrical Cleaner Spray

- · General purpose cleaning
- Leaves no residue
- Will not corrode metal components
- Safe to use on most plastics

400ml

Z9671



Battery Terminal Protector

- Cleans & protects batteries
- Eliminates the corrosive effects of battery acid
- Reduces terminal resistance & increases efficiency

400ml

Z8352



Engine Degreaser

- · Fast acting
- · Removes oil, grease & grime from engines

400ml



Glass Cleaner

- Simple to use
- Fast acting

Non-smear

400ml

Z8354



Foam Upholstery Cleaner

- Multi-purpose foaming cleaner
- · Removes dirt & grime
- · Can also be used as a hard surface cleaner

400ml

Z8355



Tyre Shine

- Foaming tyre dressing
- · Gives a lasting sheen to tyre walls
- · Simple one step application

400ml

Z8356





- · Deep cleaning air-con treatment
- Cleans & deoderises
- · Destroys mildew, fungi & bacteria
- Fast, effective & simple to use

90ml Fluid (150ml Can)

Z8357



Multi Purpose Polish

- Suitable for any waterproof surface such as: wood, tiles, vinyl, plastics, paintwork &
- Fast, effective & easy to use

400ml

Z8358/C + Z8358/B

Air Freshener

- · High discharge nozzle • Ideal for showrooms
 - (industrial strength) • Z9358/C - Cranberry
 - Z9358/B Bubblegum

<u>750ml</u>

Z9264



Cockpit Shine Spray Polish

- Enhances new & old vehicles
- Instant shine
- · Easy to use

Available in apple, bubblegum or strawberry on request.

400ml

Z8360



Air Duster

- Compressed air removes dirt & debris
- · Leaves no residue
- Safe for use on electronics
- Flammable

<u>400ml</u>

Aerosols

Z8361



Graffiti Remover

- Easy removal of most forms of graffiti
- Suitable for use on brick, concrete, stonework, glass & plastic
- May be used in confined areas

400ml

Z8362

Survey Marker Spray

- Quick, easy accurate marking
- Suitable for most indoor &
- outdoor surfaces
- · Touch dry in 30mins

750ml

Z8363



Spray Adhesive

- Heavy duty
- Adheres to most materials
- Resistant to moisture
- Non-chlorinated

400ml

Z8364



Label Remover

- · Hydrocarbon cleaner
- Safe to use on most plastics
- · Safely removes adhesive residue

400ml

Z8365



Weld Anti-Splatter

- · Release agent for all types of welding
- Prevents adhesion of welding splatter to any surface
- Safe to use on any metal
 Silicone free

400ml

Z8366



Butane Gas

- Suitable for refillable soldering irons, blow lamps & cigarette liahters
- Flammable

400ml

Z8367



Leak Detector

- Detects gas leaks
- Ideal to locate leaks in commercial vehicle air brake systems, gas & air systems
- Non-Flammable
- Non-Corrosive

400ml

Z8368



Shock (Ice Cold) Spray

• Releases seized & corroded parts by shock freezing Safe for use on all metals, rubbers & common plastics

400ml



Dry Film Lube (PTFE)

- Contains PTFE
- · Dry, clear film lubricant
- Repels moisture & resists most
- acids & alkalis

Non-Staining

400ml

Z8370



Service Lube

- Easy to apply
- Eliminates squeaking
- Clean, stable & long lasting protection

400ml

Z8371



Engine Start

- · Starts, petrol, diesel & paraffin engines
- Reduces strain on batteries
- · Avoids down-time of equipment
- Easy to use

400ml



Lithium Grease Cartridge

- · High quality heavy duty lithium complex grease
- High protection over a wide temperature range
- Excellent anti-wear and extreme pressure properties to give longer bearing life

400g

Z9395



Copper Grease Tin

- · Lasting lubricant for metal parts
- Eliminates part seizure
- · Ideal for chains, hinges & locks

500g

Z9538



Tyre Sealant

- · Provides a permanent seal that stops punctures
- Max 50mph for off road vehicles


1000ml

Grease Guns & Accessories


Grease Guns & Accessories














Grease Nipples

Part N	No.	Size	Туре	QTY
Z9422	2/S	1/8"	Straight	50
Z9422	/45	1/8"	45°	25
Z9422	/90	1/8"	90°	25
Z9297	7/\$	1/4"	Straight	50
Z9297	/45	1/4"	45°	25
Z9297	/90	1/4"	90°	25
Z9250)/S	M6 x 1	Straight	50
Z9250	/45	M6 x 1	45°	25
Z9250	/90	M6 x 1	90°	25
Z8012	2/S	M8 x 1	Straight	50
Z8012	/45	M8 x 1	45°	25
Z8012	/90	M8 x 1	90°	25
Z8426	6/S	M8 x 1.25	Straight	50
Z8426	/45	M8 x 1.25	45°	25
Z8426	/90	M8 x 1.25	90°	25
Z8011	1/S	M10 x 1	Straight	50
Z8011	/45	M10 x 1	45°	25
Z8011	/90	M10 x 1	90°	25



Rubber Mountings

Rubber Mounting Male/Female





Part No.	Description
Z9738	M8 (40mm x 30mm)
Z9739	M10 (50mm x 30mm)
Z9548	M12 (55mm x 50mm)



Rubber Mounting Male/Male

Description:

Part No.	Description
Z9097/L	M8 (H: 30mm x 40mm)
Z9549	M8 (H: 30mm x 40mm)
	Inc Nuts/Spring Washers

Z9097

Honda GX160 Engine Mounting



Description:

Thread: M8 x 20mm H: 20.5mm O/D: 25mm





Honda GX160 Generator Mounting

Description:

Thread: M8 x 33mm Thread: M8 x 15mm H: 25mm

O/D: 30mm

Z9572



Honda Generator Mounting (Large)

Description:

Thread: M10 x 25mm

H: 37.5mm O/D: 35mm



Rubber Mounting Female/Female

Description:

Part No.	Description
Z9621	M10 (H: 55mm x 50mm)
Z9655	M12 (H: 55mm x 50mm)



Honda Generator Mounting Description:

Part No.	Description
M5260	H:30mm
	8mm x 30mm/15mm
M5675	H: 32mm
	8mm x 13mm
	10mm (1.25P) x 37mm

M5547

Stihl TS410 Rubber Mount/Foot



Replaces OEM: 4205-790-9300

Z9656-Set



Honda GX120, GX160 Generator Mounting Set

Description:

H: 32mm

Stud: 8mm x 32mm Stud: 8mm x 13mm Z9657-Set



Honda GX340, GX390 Generator Mounting Set

Description:

H: 32mm

W: 2pcs 35mm, 2pcs 55mm Stud: 10mm (1.25P) x 37mm

Stud: 8mm x 13mm

Z9658-Set



Yanmar L48 3.0KW Generator Mounting Set

Description:

H: 40mm W: 35mm Stud: 10mm (1.25P) x 37mm

Stud: 8mm x 13mm

Z9659-Set




Yanmar L100 5.0KW Generator Mounting Set

Description:

H: 40mm W: 55mm Stud: 10mm (1.25P) x 37mm

Stud: 8mm x 13mm

Starter Rope



100m Starter Rope

Part No.	Length	Thickness	
M5301	100m	2.5mm	
M5000	100m	3.0mm	
M5001	100m	3.5mm	
M5002	100m	4.0mm	
M5003	100m	4.5mm	
M5004	100m	5.0mm	
M5005	100m	5.5mm	
M5006	100m	6.0mm	

50m Starter Rope

Part No.	Length	Thickness
M5012	50m	5.5mm
M5013	50m	6.0mm

Pull Handles







M5551



M5275



M5326 Honda Starter Handle (Small)



M5327

Honda Starter Handle (Large)



M5382

Plastic Handle (Small)



M5414

Large Universal Pull Handle

M5533 Universal Pull Handle for

3-5mm Rope

M5708

Chainsaw Pull Handle



M5322

Starter Handle & Rope



Hardware

Setscrews (BZP)

Part No.	Thread	Length	QTY	
Z9353	1/4"	1"	50	
Z9350	3/8"	1"	25	
Z9343	3/8"	2"	25	
Z9351	5/16"	1.5"	50	
Z9844	M4	25mm	100	
Z8094	M4	30mm	100	
Z8208	M5	10mm	150	
Z9437	M5	25mm	100	
Z8095	M5	30mm	100	
Z9561	M5	50mm	100	
Z9615	М6	12mm	200	
Z9614	М6	20mm	200	
Z9338	M6	25mm	200	
Z9512	M6	30mm	100	
Z9626	M6	40mm	200	
Z9377	M6	50mm	100	
Z9521	M6	75mm	100	
Z9882	M8	16mm	200	
Z9616	M8	20mm	200	
Z9336	M8	25mm	200	
Z9513	M8	30mm	200	
Z9672	M8	40mm	100	
Z9514	M8	50mm	100	
Z9295	M8	75mm	100	
Z9293 Z9848	M8	100mm	100	
Z9546 Z9515	M10	25mm	100	
Z9513 Z9522	M10	30mm	100	
Z9322 Z9436	M10			
Z9436 Z9331	M10	35mm	100	
		40mm	100	
Z9516	M10	50mm	100	
Z9811	M10	60mm	50	
Z9296	M10	75mm	50	
Z9674	M10	100mm	50	
Z9813	M10	150mm	50	
Z9523	M12	25mm	50	
Z9524	M12	30mm	50	
Z9694	M12	40mm	50	
Z9332	M12	50mm	50	
Z9733	M12	60mm	50	
Z9736*	M12	60mm	50	
Z9525	M12	70mm	50	
Z9526	M12	100mm	50	
Z9777	M12	140mm	50	
Z9618	M14	50mm	25	
Z9505	M14	50mm	100	
Z9528	M16	50mm	50	
Z8422	M16	60mm	50	
Z9681	M16	75mm	25	
Z8097	M16	150mm	25	
Z9863	M20	50mm	50	
Z9864	M20	75mm	25	
Z9865	M20	100mm	25	
* - Countercunk				





^{* =} Countersunk

Bolts (BZP)

Part No.	Thread	Length	QTY
Z9239	M6	50mm	100
Z9242	M8	50mm	100
Z9841	M8	65mm	100
Z9717	M8	75mm	100
Z9893	M10	100mm	50
Z9810	M10	150mm	10
Z9438	M10	60mm	100
Z9450	M10	65mm	100
Z9439	M10	75mm	100
Z9504	M12	100mm	100
Z9892	M12	60mm	50
Z9384	M12	65mm	50
Z9452	M12	75mm	100
Z9451	M16	60mm	100
Z9493	M16	80mm	100
Z9737	M16	170mm	50
Z9866	M20	55mm	50
Z9867	M20	75mm	25
Z9868	M20	100mm	25



Nut Flanges

Part No.	Thread
Z9149	М6
Z9150	M8
Z9151	M10



Nylon Locking Nuts (Nylock)

Part No.	Thread	QTY
Z9348	1/2" UNF	25
Z9333	3/4" UNF	10
Z9346	3/8" UNF	50
Z9517	M4	100
Z9755	M5	100
Z9240	M6	100
Z9241	M8	100
Z9243	M10	100
Z9337	M12	50
Z9518	M14	50
Z9382	M16	50
Z9519	M20	25



Steel Nuts (BZP)

Part No.	Thread	QTY
Z9345	1/2" UNF	25
Z9347	3/8" UNF	50
Z9344	5/8" UNF	10
Z9509	M4	200
Z9869	M5	200
Z9339	M6	200
Z9335	M8	200
Z9335/50	M8	50
Z9510	M10	200
Z8484/50	M10 x 1.25P	50
Z9342	M12	100
Z9506	M14	100
Z9511	M16	50
Z9507	M20	25









Spring Washers

Part No.	Size	QTY
Z9349	1/2"	50
Z9853	5mm	500
Z9854	6mm	500
Z9843	8mm	500
Z9856	10mm	250
Z9352	12mm	250
Z9857	14mm	100
Z9858	16mm	100
Z9859	20mm	100









Flat Washers

Part No.	Thread	QTY
Z8093	M4	250
Z9883	M5	250
Z9321	M8	250
Z9320	M10	250
Z9334	M12	250
Z9527	M14	100
Z9508	M16	100
Z9520	M20	100
Z9582	M24	100
Z9778	M24	50















Repair Washers

Part No.	Thread	QTY
Z9774	M5	200
Z9324	М6	100
Z9323	M8	100
Z9322	M10	100
Z9852	M12	100



Hex Head Self Drilling Screws

Part No.	Head Size	Length	QTY
Z9871	8mm	1"	100
Z9872	8mm	1.5"	100
Z9873	8mm	2"	100
Z9874	10mm	1"	100
Z9875	10mm	1.5"	100
Z9876	10mm	2"	100



Fasteners
























Oil





Diesel Fuel Treatment

Description:

325ml



10/40 Oil

Description:

Part No.	Description
Z8027	1L Bottle
Z8124	5L Bottle



Stihl 2 Stroke Oil

Description:

Part No.	Description
	100ml Shot
0781.319.8410	1L Bottle



2 Stroke Oil

Description:

	Description
Z9167/1L	1L Bottle
Z9167/5L	5L Bottle





Description:

Part No.	Description	1
Z8079	1L Bottle	1
Z8054	5L Bottle]



SAE30 Oil

Description:

Part No.	Description
Z8066	600ml Bottle
Z8065	1L Bottle
Z8031	5L Bottle



Jerry Can (Colour/Style may vary)



Part No.	Description
Z8198/5L	5L Jerry Can
Z8198/10LR	10L Red Jerry Can
Z8198/10LG	10L Green Jerry Can
Z8198/20L	20L Jerry Can



Jerry Can Spout



Description:

Universal



2 Stroke Mixing Bottle

Description: Marked with:

25/1, 32/1, 40/1, 50/1



Black Extendable Funnel

Description: 140mm





Chemical Sprayer

Description:

Z9370




Oil Change Extractor Kit

Description:


- 1L Waste Container
- 0.3L Hand Pump
- Plastic funnel & Flexible tube

Jugs & Pourers















Clipper Diamond Blades

Atlas Uni Diamond Blade (Standard)

- General purpose budget diamond blade
- Can be used for wet & dry cutting

Suitable for: General construction materials, Roof tiles, Block paving, Concrete pipes, Paving slabs, Bricks

Part No.	Dimensions	Machine Type
Z8456/115	115 x 22.23	Angle Grinder
Z8456/125	125 x 22.23	Angle Grinder
Z8456/230	230 x 22.23	Angle Grinder
Z8456/300	300 x 20	Cut-Off Saw



Clipper Pro 4x4 Explorer (Premium+)

- Multipurpose cutting of the most demanding materials
- i-HD technology delivers exceptional long life

Suitable for: Reinforced concrete, Asphalt, Concrete pipes, Breeze blocks, Bricks, General construction materials

Part No.	Dimensions	Machine Type
70184602018	115 x 22.23	Angle Grinder
70184602019	125 x 22.23	Angle Grinder
70184602021	230 x 22.23	Angle Grinder
70184602022	300 x 20	Cut-Off Saw
70184602023	300 x 25.4	Cut-Off Saw/Masonry Saw/Floor Saw
70184602091	350 x 20	Cut-Off Saw
70184602092	350 x 25.4/20	Cut-Off Saw/Masonry Saw/Floor Saw
70184602093	350 x 25.4	Cut-Off Saw/Masonry Saw/Floor Saw
70184602095	400 x 25.4	Cut-Off Saw/Masonry Saw/Floor Saw
70184602094	400 x 20	Cut-Off Saw
70184602096	450 x 25.4	Masonry Saw/Floor Saw



Clipper Extreme Beton Silencio (Premium+)

- Speciality premium concrete cutting blade. -13dB vs regular blades
- i-HD technology delivers exceptional long life

Suitable for: Reinforced concrete, Kerb stones, Concrete pipes, Breeze blocks, Slabs

Part No.	Dimensions	Machine Type
70184629000	300 x 20	Cut-Off Saw
70184642421	300 x 25.4	Cut-Off Saw
70184647780	350 x 20	Cut-Off Saw
70184628999	350 x 25.4	Cut-Off Saw
70184628997	350 x 25.4	Floor Saw
70184694504	400 x 20	Cut-Off Saw
70184643510	400 x 25.4	Cut-Off Saw
70184631020	450 x 25.4	Floor Saw



Clipper Diamond Blades

Clipper Pro Beton (Premium)

- Laser welded blade designed for intensive use on demanding concrete
- Can be used for wet & dry cutting

Suitable for: Reinforced concrete, Kerb stones, Concrete pipes, Breeze blocks, Slabs

Part No.	Dimensions	Segments	Machine Type
70184627058	300 x 20	10/2.5	Cut-Off Saw
70184611453	300 x 20	12/2.8	Cut-Off Saw
70184611455	300 x 25.4	12/2.8	Cut-Off Saw/Floor Saw
70184627060	350 x 20	10/2.8	Floor Saw
70184611456	350 x 20	12/2.8	Cut-Off Saw
70184627061	350 x 25.4	10/2.8	Cut-Off Saw/Masonry Saw/Floor Saw
70184611458	350 x 25.4	12/2.8	Cut-Off Saw/Floor Saw
70184611459	400 x 20	12/3.2	Cut-Off Saw
70184627062	400 x 20	10/3.2	Cut-Off Saw/Masonry Saw/Floor Saw
70184611460	400 x 25.4	12/3.2	Cut-Off Saw/Floor Saw
70184627063	450 x 25.4	10/3.2	Masonry Saw/Floor Saw
70184611461	450 x 25.4	12/3.2	Floor Saw



Clipper Pro Asphalt (Premium)

- Laser welded blade for 25% increased lifespan
- Designed for intensive use on demanding asphalt substrates

Suitable for: Asphalt, Breeze blocks, Asphalt over concrete, Bitumen Tiles

Part No.	Dimensions	Machine Type
70184623182	300 x 20	Cut-Off Saw
70184623184	300 x 25.4	Cut-Off Saw/Floor Saw
70184623185	350 x 20	Cut-Off Saw
70184623186	350 x 25.4	Cut-Off Saw/Masonry Saw/Floor Saw
70184628159	400 x 25.4	Cut-Off Saw/Masonry Saw/Floor Saw
70184628160	450 x 25.4	Floor Saw



Clipper Extreme Universal Turbo (Premium)

- Extreme fast & smooth cutting performance
- 12mm Continuous rim for smooth high quality cut

Suitable for: Roof tiles, Block paving, Concrete pipes, Paving slabs, Bricks

Part No.	Dimensions	Machine Type
70184623598	115 x 22.23	Angle grinder
70184623599	125 x 22.23	Angle Grinder
70184623180	230 x 22.23	Angle Grinder
70184623448	230 x 70/25.4 + Flange	Angle Grinder
70184611230	300 x 20	Cut-Off Saw
70184611236	300 x 25.4	Cut-Off Saw/Masonry Saw
70184611427	350 x 20	Cut-Off Saw
70184611561	350 x 25.4	Cut-Off Saw/Masonry Saw





Helicoil Thread Inserts

Part No.	Size	Qty
Z8482/5	M5 x 0.8mm	25
Z8482/6	M6 x 1.0mm	25
Z8482/8	M8 x 1.25mm	25
Z8482/10	M10 x 1.25mm	25
Z8482/12	M12 x 1.75mm	10
Z8482/14	M14	1



Helicoil Thread Repair Kits

Part No.	Size
Z8605/5	M5 x 0.8mm
Z8605/6	M6 x 1.0mm
Z8605/8	M8 x 1.25mm
Z8605/10	M10 x 1.25mm
Z8605/12	M12 x 1.75mm
Z8605/14	M14



Power Meter

Description: 1000-20,000 RPM

Z9267/H


Bi-Metal Hacksaw Blade 24 TPI

Description: Qty 10













Description:

Z8607



Universal Fuel Priming Pump

Z9290





Description:

Fits 8mm I/D Hole









Bench Chain Breaker

Description: 1/4" to .404"

Bench Rivet Spinner Description: 1/4" to .404"



12V Saw Chain Grinder



Description: 5/32", 3/16" & 7/32" Stones 20000 RPM Motor Connects to 12V battery

Z9957

Manual Chain Sharpener



Description:Manual bench chainsaw chain sharpener



File & Guide Sharpeners

Description:

Part No.	Imperial	Metric
Z9539	5/32"	4.0mm
Z8069	3/16"	4.8mm
Z8053	7/32"	5.5mm



Grinding Stones for use with 12V Saw Grinders (25pcs)

Description:

Part No.	Imperial	Metric
Z8014	5/32"	4.0mm
Z8013	3/16"	4.8mm
Z8023	7/32"	5.5mm

Z8034

Flat Chainsaw File 6" (150mm)

Description: 12 Pcs

8" Round Chainsaw Files 12pcs

Description:

Part N	o. In	perial	Metric
Z806	3	5/32"	4.0mm
Z805	8	3/16"	4.8mm
Z803	7	7/32"	5.5mm



Chainsaw File Handle

Description: Plastic



Chainsaw File Handle


<u>Description:</u> Wooden

























Airline Parts

Airline Parts






















Airline Parts























Safety Equipment





Chainsaw Safety Helmet

Description:

Includes Helmet, Ear muffs & Visor

Z9022



Face Shield with Mesh Visor

Description:

Lightweight with adjustable ratchet Brow guard C.E Marked

Z9023



Face Shield with Mesh Visor

Description: Lightweight Elasticated Headband C.E Marked

Z9194



Description: Clear visor

Z9196





Description:

Impact resistant Side ventilation Conforms to EN166

Anti Fog Safety Glasses Includes bag & neck strap

Description:

Colour	
Clear	
Yellow	
Grey	

Z9193



Ear Muffs

Description:

C.E Marked Conforms to EN352-1

Z9734/Size



Chainsaw Safety Gloves (Class 0)

Description:

-		
Part No.	Size	
Z9734/S	Small	
Z9734/M	Medium	
Z9734/L	Large	
Z9734/XL	Extra Large	
Z9734/XXL	Extra Extra Large	

Z8615



Rubber Gripper Gloves

Description:

Criss cross non slip covering Elasticated wrist

Z9380



Welding Gloves

Description:

Pair

Safety Equipment



Professional Brushcutter Harness

Description:

Strong durable harness Plastic plate to protect user







Padded Harness

Description: Extra comfortable padded strimmer harness





Description: Integral microswitch 127cm Orange Strap E Mark certified







Lap Seatbelt





Breakaway Cables









Hardware & Fixings












Latches & Fasteners















Towing Equipment









Z8492



Round Coupling Head (Unbraked)

Description:

60mm 800kg Vertical/Vertical Fastener 2 Holes 90mm Apart

78493



Round Coupling Head (Unbraked)

Description:

70mm 800kg

Vertical/Vertical Fastener 2 Holes 90mm Apart

Z8494



Square Coupling Head (Unbraked)

Description:

60mm 800kg Vertical/Vertical Fastener 2 Holes 90mm Apart

Z8496



Coupling Head (Braked)

Description:

Ø 60mm 3500kg Albe

Horizonal Fixing Holes Ø14mm

Z8523



Coupling Lock
(Hand Bag Type)

Description:

Pin & Disc Lock Includes Padlock (Z8570)

Z8524



Coupling Lock (Tube Type)

Description:

Pin & Disc Lock Includes Padlock (Z8570)

Z8495



Winterhoff WW30-K+Z Multi Size Coupling Head

Description:

Braked 3000kg

Horizontal/Horizontal/Vertical Suits: Ø 35 / 40 / 45 / 46 / 50mm

Z8498



Winterhoff WS3000 Stabilized Coupling / Hitch

Description:

3000kg

Suits:

Ø 35 / 40 / 45 / 46 / 50 / 51mm Includes fitting accessories

Shock Absorbers

Z8566

Trailer Shock Absorber



Description:

600kg - 1400kg 210mm - 340mm

Z8567





Description:

600kg - 1800kg 260mm - 390mm

Jockey Wheels

Z8514



48mm Jockey Wheel Set (Standard)

Description:

External Tube: Ø48mm Screwed in Length: 500mm Unscrewed Length: 770mm Tire: Solid Ø 200mm x 50mm

Z8513



48mm Jockey Wheel (Winterhoff - Premium)

Description:

External Tube: Ø48mm Screwed in Length: 500mm Unscrewed Length: 770mm Tire: Solid Ø 200mm x 50mm

Z8588



60mm Heavy Duty Jockey Wheel

Description:

External Tube: Ø60mm Screwed in Length: 550mm Unscrewed Length: 790mm Tire: Solid Ø 240mm x 85mm

Z8515



60mm Jockey Wheel Auto Folding (250kg Static Load)

Description:

External Tube: Ø60mm Screwed in Length: 545mm Unscrewed Length: 1015mm Tire: Solid Ø 200mm x 60mm

Z8516



Ø48mm Jockey Wheel Clamp

Description:

Width: 130mm Height: 55mm

Mounting: Bore 105mm x Ø 10.5

Pipe: Ø48mm

Z8591



Ø60mm Jockey Wheel Clamp

Description:

Width: 130mm Height: 100mm I/D: 60mm **Bolt Bar**

Z8545





Description:

Suits 4 & 5 Bolt Wheels

Z8512



Trailer Support Leg (650mm)

Description:

Tube: Ø48mm Ground Plate: Ø100mm Height: 650mm



40mm Square Tube Turnable Support Leg

Description:

Tube: 40mm thick

Height(In): 420mm/535mm Height(Out): 620mm/735mm

Pendulum: 180mm

Z8594



50mm Square Tube Turntable Support Leg

Description:

Tube: 50mm thick

Height(In): 475mm/595mm Height(Out): 725mm/845mm

Pendulum: 180mm

Winches











Plugs & Sockets



12V 7-Pin Trailer Plug



Description: Metal

Z9471/Metal

12V 7-Pin Trailer Socket



Description: Metal

Z9470/Plastic

12V 7-Pin Trailer Plug



Description: Plastic

12V 7-Pin Trailer Socket



Description: Plastic

Z8503

13 Pin Bayonet Trailer Plug



Description: Plastic

Z8490

13 Pin Bayonet Trailer Socket



Description: Takeover contact for fog light 3 Mounting Holes Ø5.5

Z8446

Trailer Socket Conversion Adaptor (13pin - 7pin)

Description: 8-Pin Plug

7-Pin Socket

Z9776



Trailer Socket Conversion Adaptor (7pin - 13pin)

Description:

7-Pin Plug 13-Pin Socket

Z8572

Extendable Cable / Susie Cable



Description: 2.5m

13/8 Pin Plastic Plugs

Z9898/3M

Extendable Cable / Susie Cable



Description:

7 Pin Plastic Plugs



Aspock Compatible Lighting Harness 7 Pin to 2x5 Pin

Description:

Europe Only Suitable for use with: Z8574/Left & Z8574/Right





Aspock Compatible Lighting Harness 13 Pin to 2x7 Pin

Description:

Europe Only Suitable for use with: Z8573/Left & Z8573/Right



Z8573/Left

Rear LED 6 Function Combination Lamp (Left)



Description: EUROPE ONLY

Z8573/Right

Rear LED 6 Function Combination Lamp (Right)



Description: EUROPE ONLY

Z8574/Left

Rear LED 5 Function Combination Lamp (Left)



Description: EUROPE ONLY

Z8574/Right

Rear LED 5 Function Combination Lamp (Right)



Description: EUROPE ONLY

Z8575

Aspock Compatible Lighting Harness 7 Pin to 2x5 Pin



Description:

Suitable for use with: Z8574/Left & Z8574/Right

EUROPE ONLY

Z8576



Aspock Compatible Lighting Harness 13 Pin to 2x7 Pin

Description:

Suitable for use with: Z8573/Left & Z8573/Right

EUROPE ONLY

Z8595/Left



Rear LED 6 Function Combination Lamp (Left)

Description: UK & ROI ONLY

Z8595/Right



Rear LED 6 Function
Combination Lamp (Right)

Description:
UK & ROI ONLY

Z8596/Left



Rear LED 12 LED Rectangle Combination Lamp (Left)

Description: UK & ROI ONLY

Z8596/Right



Rear LED 12 LED Rectangle Combination Lamp (Right)

Description: UK & ROI ONLY

Z8455



12V LED Square Rear Combination Lamp

Description:

100mm x 100mm x 35mm 14 LED Mounting: 2 x 5mm Holes Z8568



Radex Square Combination Lamp

Description:

104mm x 97.5mm x 50mm Bulbs: R382 & R380

Z8508



License/ Number Plate Lamp

Description: 68mm x 64mm x 34mm

5W Tubular Bulb

Z8509



Interior Lamp 900mm

Description:

5W Tubular Bulb Mounting: 3 holes Ø 5mm

Z8507



LED Radex Outline Marker Lamp

Description:

99mm x 47mm x 70mm White/Red Z8562





Description:

100mm x 100mm x 35mm Magnetic Fixtures 12m Cable 7 Pin Plug

Z8510/Left



3 LED Side Marker Lights

Description: Indicator Left Side

Z8510/Right



3 LED Side Marker Lights

Description: Indicator Right Side





Rear LED Fog Light

Description: 100mm x 80mm x 25mm 19 LED Z9897




Side Marker Lamp

Description: White/Red





Lamp Protectors





Lighting Boards





Reflectors

Z8504/ORANGE

Round Orange Reflector



Description: 60mm O/D 5mm Hole

Z8504/RED

Round Red Reflector



Description: 60mm O/D 5mm Hole

Z8504/WHITE

Round White Reflector



Description: 60mm O/D 5mm Hole

Z8505

Orange Rectangular Reflector



Description:

Z8506

Red Triangular Reflector



Description: 153mm x 135mm 5mm Hole x2 Pitch 70mm

Nets

Small Mesh

Mesh Width: 60x60 Elastic Strip: 3mm

Part No.	Dimensions
Z8598-2.0	2.0 x 1.0m
Z8598-2.5	2.5 x 1.4m
Z8598-3.0	3.0 x 1.6m
Z8598-3.5	3.5 x 1.8m
Z8598-4.0	4.0 x 2.0m
Z8598-4.50	4.5 x 2.5m

Medium Mesh

Mesh Width: 100x100 Elastic Strip: 4.5mm

Part No.	Dimensions
Z8618-2.0	2.0 x 1.0m
Z8618-2.5	2.5 x 1.4m
Z8618-3.0	3.0 x 1.6m
Z8618-3.5	3.5 x 1.8m
Z8618-4.0	4.0 x 2.0m




62mm x 45mm with sticker

Large Mesh

Mesh Width: 120x120 Elastic Strip: 4.5mm

Part No.	Dimensions
Z8618-2.0	2.0 x 1.0m
Z8618-2.5	2.5 x 1.4m
Z8618-3.0	3.0 x 1.6m
Z8618-3.5	3.5 x 1.8m
Z8618-4.0	4.0 x 2.0m





Part	Page
	48
110V Plugs/Couplers	48
240V Plugs/Couplers Adhesives	62
Aerosols	64-66
Airline Parts	84-85
Amber LED Beacons	2
Amber LED Beacons (Vivid Plus)	8
Amber LED Beacons (Vivid)	5
Aspock Lighting Harness	95
Assortment Kits	26-34
ATV Lightbar	12
Batteries	52
Battery Cable	51
Battery Terminals	53
Blade Fuses	54
Bolts	71
Breakaway Cables	88
Bulb Holders	21
Bulbs (Automotive)	20
Bulbs (Heating)	21
Cable Ties	58
Camlock Couplings	40
Carb Adjusting Tools	81
Chainsaw Tools	82
Coupling Heads	91
Diamond Blades	78-79
Domestic Fuses	54
Drill Bits	61
Drive Belts	47
Electrical Terminals	55
Fasteners	75
Float Blades	46
Fly Lead Converters	49
Fuel Clamps/Clips	42
Fuel Line	41
Fuel Pumps	36
Fuel Taps	42
Fuel Transfer Pumps	37
Gas Strut Ends	45
Gas Struts	45
Gloves (Vinyl/Latex)	22
Grease Guns	67
Grease Nipples	67
Green LED Beacons	3
Green LED Beacons (Vivid)	6
Hand Cleaner	22
Helicoils	80
Hinges	89
Horn	19
Hose Clips	60
Hose Menders	43
Hydraulic Couplings	39
Ignition Switches	63
Ignition Testers	25
	76
Jerry Cans	76 92
	76 92 77

Part	Page
Keys	56-57
Lamp Protectors	98
	88
Lashing Anchors	
Latches	89-90
Layflat Hose	40
LED Lamps	11
Lightbars	14
Lightbars	15
Lighting Boards	98
Marker Lights	11
Mudguards	93
Nets	99
Nut Flanges	71
Nuts (Steel)	72
Nylon Locking Nuts	71
Oil	76
Oil Drain Pans	77
Oil Extraction Pumps	38
Paper Wipers	23
Pull Handles	69
Pump Accessories	39
Ratchet Straps	75
Recovery Lightbar	13
Reflectors	99
Repair Washers	73
Reversing Alarms	19
Rubber Mountings	68
Safety Equipment	86-87
Seatbelt Kits (Green LED Beacons)	4
	7
Seatbelt Kits (Green Vivid Beacons)	74
Self Drilling Screws	
Setscrews	70
Shock Absorbers	91
Single Core Cable	51
Spanners	83
Spark Plug Covers	24-25
Spark Plugs (NGK)	24
Spigots	9
Spring Washers	72
Starter Rope	69
Storage Bins	35
Submersible Pumps	38
Таре	59
Towball/Towbar	90
Trailer Boards	98
Trailer Light Protectors	18
Trailer Lights	16-17
Trailer Lights	96-97
Trailer Plugs/Sockets	50
Trailer Plugs/Sockets	94
Twin Core Cable	51
Tying Rings	88
Warning Lights	21
Washers (Flat)	73
White Noise Reversing Alarm	19
Winches	93
Worklamps	10
TTOTRIBITES	10