

VISION RED

LIGHTING CATALOGUE V4



AMBER BEACONS



GREEN BEACONS



FORKLIFT BEACONS



VIVID BEACONS



SEATBELTS & KITS



WORKLAMPS



REVERSING ALARMS



TRAILER LIGHTING



LIGHTBARS

VISION **RED**



Amber Beacons

3-7



Forklift/Platform Beacons

8-9



Green Beacons & Belt Kits

10-15



Spigots & Accessories

16



Replacement Lenses

17



Worklamps

18



Marker Lights

19



Lightbars

20-23



Trailer Lighting

24-26



Reversing Alarms

27

½ Lens LED Beacons (Amber)

Our ½ Lens LED beacon range is suitable for a wide range of applications where a lower profile lens is required.


Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons


Standards:



Lens Colours Available:







Amber



Green
(See Page 10)



Blue
(Off Highway Only)



Part No	Z8711/LED	Z9447/LED	Z8710/LED	Z8774/LED
Fixing	Magnetic	Flexi/DIN	Single Bolt	3 Bolt

Standard LED Beacons (Amber)

Our Standard LED beacon range is suitable for use on vans, trucks cars, agricultural & plant machinery.





Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons

Standards:



Lens Colours Available:



Part No	Z9221/LED	Z9223/LED	Z9229/LED
Fixing	Magnetic	Flexi/DIN	Single Bolt

VIVID Low Profile LED Beacons (Amber)

Our VIVID LED beacons are a premium range of low profile extra bright beacons.

Features:

- Reflective Technology
(Brighter than regular beacons)
- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons

Standards:






Lens Colours Available:



Amber



Green
(See Page 10)



Part No	Z9758	Z9760	Z9759
Fixing	Magnetic	Flexi/DIN	Single Bolt

Ultra Low Profile LED Beacons (Amber)

Our Ultra Low profile LED beacons are a premium amber lens beacon with a black top cover.





Features:

- Ultra Low Profile
- DC 9-30V
- -30 °C to +60 °C Operating Range
- 7 Flash Patterns
- Pattern Control Button
- Polycarbonate Lens

Standards:



Lens Colours Available:



Part No	Z8815	Z8816	Z8817
Fixing	Magnetic	Flexi/DIN	Single Bolt

VIVID Plus Low Profile LED Beacons

Our VIVID Plus LED beacons are a premium range of ultra low profile beacons.




Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Ultra Low profile
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons

Standards:



Lens Colours Available:



Part No	Z9838	Z9839	Z9837
Fixing	Magnetic	Flexi/DIN	Single Bolt

Z8086

Forklift/Work Platform LED Beacon

Features:

- Easy connection via lighter socket
- DC 10-110V
- 30 SMD
- 4 Flash Patterns
- Polycarbonate Lens

Standards:



LED Colours Available:



Amber



Z8814

USB Rechargeable LED Beacon

Features:

- 5 Hour Battery Life (Approx)
- 2 Hour Recharge Time (Approx)
- 8*1W LED
- SOS Flash Pattern
- Polycarbonate Lens

Standards:



LED Colours Available:



Amber



Z8820

Forklift Directional Arrow Marker Light. Shows a warning arrow when forklift is moving to ensure employee safety.




Features:

- Blue Arrow
- DC 9-80V
- 3*3W LED

Standards:



Arrow Colours Available:



Z8818

Forklift Line Marker Light. Shows a line on the ground when forklift is moving to make a safe working area.




Features:

- Red Line
- DC9-80V
- 2*3W LED

Standards:



Line Colours Available:



½ Lens LED Beacons (Green)

Our ½ Lens LED Green beacons are suitable for use on plant machinery in conjunction with a microswitch seatbelt.

Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons

Standards:



Lens Colours Available:



Part No	Z8711/Green	Z9447/Green	Z8710/Green	Z8774/Green
Fixing	Magnetic	Flexi/DIN	Single Bolt	3 Bolt

Seatbelt & Seatbelt Kits

Our ½ Lens LED Green beacon seatbelt kits are suitable for any plant machinery where a beacon needs to be used to indicate if a seatbelt is being worn.

Belt Specification:

- 127cm strap
- Orange strap for high visibility
- Automatic locking
- Integrated microswitch
- Fixing bolts included
- Fits either side

Beacon Specification:

- See page opposite

Kit Contents:

- ½ Lens LED Green Beacon
- Seatbelt With Microswitch



Standards (Beacon)



Standards (Belt)



Part No	Z8810/MAGKIT	Z8810/FLEXIKIT	Z8810/SBKIT	Z8810/3BKIT	Z9807
Beacon	Magnetic	Flexi/DIN	Single Bolt	3 Bolt	
Belt	Included	Included	Included	Included	Belt Only

Standard LED Beacons (Green)

Our Standard LED (Green) beacons are suitable for use on plant machinery in conjunction with a microswitch seatbelt.




Features:

- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- Encapsulated Electronics
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons

Standards:



Lens Colours Available:



Part No	Z9221/Green	Z9223/Green	Z9229/Green
Fixing	Magnetic	Flexi/DIN	Single Bolt

Seatbelt & Seatbelt Kits

Our Standard Lens LED Green beacon seatbelt kits are suitable for any plant machinery where a beacon needs to be used to indicate if a seatbelt is being worn.

Belt Specification:

- 127cm strap
- Orange strap for high visibility
- Automatic locking
- Integrated microswitch
- Fixing bolts included
- Fits either side

Beacon Specification:

- See page opposite

Kit Contents:

- Full Lens LED Green Beacon
- Seatbelt With Microswitch



Standards (Beacon)



Standards (Belt)



Part No	Z9888/MAGKIT	Z9888/FLEXIKITF	Z9888/SBKIT	Z9807
Beacon	Magnetic	Full Lens Flexi	Single Bolt	
Belt	Included	Included	Included	Belt Only

VISION RED

VIVID Low Profile LED Beacons (Green)

Our VIVID LED beacons are lower profile and suitable for use on plant machinery in conjunction with a microswitch seatbelt.




Features:

- Reflective Technology
(Brighter than regular beacons)
- Dual Voltage 12/24V
- -30 °C to +50 °C Operating Range
- 3 Selectable Flash patterns
(Rotating, Six Flash, Dual Flash)
- 70mph Rating on Magnetic Beacons

Standards:



Lens Colours Available:



Part No	Z9758/Green	Z9760/Green	Z9759/Green
Fixing	Magnetic	Flexi/DIN	Single Bolt

Seatbelt & Seatbelt Kits

Our **VIVID** LED Low Profile Green beacon seatbelt kits are suitable for any plant machinery where a beacon needs to be used to indicate if a seatbelt is being worn.

Belt Specification:

- 127cm strap
- Orange strap for high visibility
- Automatic locking
- Integrated microswitch
- Fixing bolts included
- Fits either side

Beacon Specification:

- See page opposite

Kit Contents:

- **VIVID** Low Profile LED Green Beacon
- Seatbelt With Microswitch



Standards (Beacon)




Standards (Belt)



Part No	Z9808/MAGKIT	Z9808/FLEXIKIT	Z9808/SBKIT	Z9807
Beacon	VIVID Magnetic	VIVID Flexi	VIVID Single Bolt	
Belt	Included	Included	Included	Belt Only

Beacon Spigots


Part No: Z8485



Specification:

- Folding Beacon Spigot
- Twin mounting holes
- Suits 12/24V Beacons


Part No: Z9761



Specification:

- Standard Beacon Spigot
- Suits 12/24V Beacons


Part No: Z9824



Specification:

- 90° Beacon Mounting Spigot
- Twin mounting holes
- Suits 12/24V Beacons

Part No: Z9825



Specification:

- Twin Bolt Mounting Spigot
- Suits 12/24V Beacons

Beacon Accessories

Part No: Z8720



Specification:

- Insert for standard Spigot/DIN Beacon mounts
- Easy to fit

Part No: M5910



Specification:

- 8 Amp Cigarette lighter plug
- 3.6m Spring Cable

Replacement Beacon Lenses

½ Lens Replacement Lenses

To suit our ½ Lens beacon range (Screw Type Lens)

Fits:

- Z9447/LED
- Z8710/LED
- Z8711/LED
- Z8774/LED




Part No	Z9881	Z9881/Orange	Z9881/BLUE
Fixing	Green	Orange/Amber	Blue (Off Highway Only)

Full Lens Replacement Lenses

To suit our standard beacon range (Screw Type Lens)

Fits:

- Z9221/LED
- Z9223/LED
- Z9229/LED



Part No	Z9880	Z9880/Orange
Fixing	Green	Orange/Amber

VIVID Lens Replacement Lenses

To suit our VIVID beacon range (Screw Type Lens)

Fits:

- Z9758
- Z9759
- Z9760



Part No	Z9799	Z9799/Orange
Fixing	Green	Orange/Amber

Worklamps

Part No: Z9683

Square LED Worklamp

Specification:

- 27W
- 1800 Lumen
- 40° Spot
- 10-30V
- 60° Flood



Dimensions:

H: 125mm W: 108mm D: 45mm

Part No: Z9731/1

Round LED Worklamp

Specification:

- 27W
- 1800 Lumen
- 40° Spot
- 10-30V
- 60° Flood



Dimensions:

O/D: 115mm D: 45mm

Part No: Z9850

Round LED Worklamp

Specification:

- 12W
- 9-32V
- 4LED



Dimensions:

O/D: 80mm D: 45mm

Part No: Z9762

Rechargeable LED Worklamp

Specification:

- 18W
- 10-30V
- Magnetic Base
- 6LED
- Carry Handle

Dimensions:

H: 225mm (Inc Handle) W: 110mm D: 96mm



Marker Lights & Lamps

Part No: Z9823

Rectangular LED Worklamp

Specification:

- 18W
- 1800 Lumen
- 40° Spot
- 9-32V
- 6 LED
- 60° Flood



Dimensions:

H: 43mm W: 155mm D: 47mm

Part No: Z9822

Battery Powered Amber Lamp

Specification:

- 12V
- Magnetic
- Takes 4 x AA Batteries (Not included)

Dimensions:

H: 100mm W: 155mm D: 38mm



Marker Lights

LED Marker Lights

Specification:

- 12-24V
- 3-6 LEDS
- Amber or Red
- Aluminium Housing




LED Colours Available:



Amber
(3,4,6 LED)



Red
(4 LED Only)



Part No	Z9803/3	Z9803/4	Z9803/6	Z9860/4
No LEDS	3	4	6	4
Colour	Amber	Amber	Amber	Red
Dimensions	80mm x 28mm	95mm x 28mm	127mm x 28mm	95mm x 28mm

Mini Lightbars

Part No: Z9833

Round LED Low Profile Lightbar

Specification:

- Amber
- 12-24V
- Polycarbonate Lens



Dimensions:

H: 70mm W: 165mm



Part No: Z9834

Magnetic Mini Low Profile LED Lightbar

Specification:

- Amber
- 9-30V
- 8 Patterns
- Polycarbonate Lens



Dimensions:

H: 80mm W: 185mm L: 400mm



Part No: Z9835

Magnetic LED Lightbar

Specification:

- Amber
- 9-30V
- 3 Patterns
- Polycarbonate Lens



Dimensions:

H: 150mm W: 204mm L: 419mm



Part No: Z9836

Low Profile Magnetic LED Lightbar

Specification:

- Amber
- 9-30V
- 3 Patterns
- Polycarbonate Lens



Dimensions:

H: 80mm W: 204mm L: 419mm



LED Light Bars

Our LED Lightbars are compact & suitable for use on vans, trucks, cars or plant machinery. Available with either single bolt or magnetic fixings.

Features:

- Magnetic/Single Bolt
- DC 9-30V
- 24-30LED
- High Strength Magnet
- Polycarbonate Lens
- 8 Flash Patterns



Standards:



LED Colours Available:



Amber



Part No	Z9675	Z9676
Fixing	Magnetic	Single Bolt

Z9715

Features:

- DC 9-30V
- 56*1W LED's
- Magnet or Bolt Mounted
- Polycarbonate Lens
- Easy connection via lighter socket


Standards:



LED Colours Available:



Amber



Z9849

Features:

- 33"
- 10-30V
- 180W
- Spot/Flood Beam
- Toughened Glass Lens
- Ideal for ATV's & Boats


Standards:



LED Colours Available:



White



VIVID Recovery Light Bars

Our VIVID Lightbars are fully featured recovery bars. Supplied with mounting brackets and cabin mountable controls.






Features:

- 60/90/120cm
- DC 9-30V
- 90-162LED
- Bracket Included
- Polycarbonate Lens
- Controller Included
- 26/29 Flash Patterns

Standards:



LED Colours Available:



Part No	Z9840/60cm	Z9840/90cm	Z9840/120cm
Length	602mm	898mm	1197mm
LEDs	90 LED	126 LED	162 LED
Flash	26 Patterns	29 Patterns	29 Patterns

Trailer Lighting

Part No: Z8573/Left

Rear LED 6 Function
Combination Lamp (Left)

Specification:

- Europe Only




Part No: Z8573/Right

Rear LED 6 Function
Combination Lamp (Right)

Specification:

- Europe Only



Part No: Z8574/Left

Rear LED 6 Function
Combination Lamp (Left)

Specification:

- Europe Only



Part No: Z8574/Right

Rear LED 6 Function
Combination Lamp (Right)

Specification:

- Europe Only



Part No: Z8575

Aspock Compatible Lighting
Harness 7 Pin to 2x5 Pin

Specification:

- Europe Only
- Use with Z8574/L & /R



Part No: Z8576

Aspock Compatible Lighting
Harness 13 Pin to 2x7 Pin

Specification:

- Europe Only
- Use with Z8573/L & /R



Part No: Z8595/Left

Rear LED 6 Function
Combination Lamp (Left)

Specification:

- UK & ROI Only



Part No: Z8595/Right

Rear LED 6 Function
Combination Lamp (Right)

Specification:

- UK & ROI Only



Part No: Z8596/Left

Rear LED 12 LED Rectangle
Combination Lamp (Left)

Specification:

- UK & ROI Only



Part No: Z8596/Right

Rear LED 12 LED Rectangle
Combination Lamp (Right)

Specification:

- UK & ROI Only



Trailer Lighting

Part No: Z8455

12V LED Square Rear Combination Lamp

Specification:

- 14LED
- 100mm x 100mm x 35mm
- 2 x 5mm Mounting Holes



Part No: Z8568

Radex Square Combination Lamp

Specification:

- Bulbs - R382 / R380
- 104mm x 97.5mm x 50mm



Part No: Z8508

License/ Number Plate Lamp

Specification:

- 5W Tubular bulb
- 68mm x 64mm x 34mm



Part No: Z8509

Interior Lamp

Specification:

- 5W Tubular Bulb
- Mounting: 3 holes Ø 5mm



Part No: Z8507

LED Radex Outline Marker Lamp

Specification:

- 99mm x 47mm x 70mm
- White/Red



Part No: Z8562

Magnetic LED Lighting Module

Specification:

- 100mm x 100mm x 35mm
- 12m Cable, 7 Pin Plug



Part No: Z8510/Left

Stalk Marker Light (Left)

Specification:

- LED



Part No: Z8510/Right

Stalk Marker Light (Right)

Specification:

- LED



Part No: Z8563

Rear LED Fog Light

Specification:

- 19LED
- 100mm x 80mm x 25mm



Part No: Z9897

Side Marker Lamp

Specification:

- White/Red
- Left/Right available



Trailer Lighting

Part No: Z8621/Left

6 Function Left Hand Trailer Lamp

Specification:

- 5 Pin




Part No: Z8621/Right

6 Function Right Hand Trailer Lamp

Specification:

- 9 Pin



Part No: Z8537

Rear Lamp Protector (Small)

Specification:

- 140mm x 105mm x 80mm



Part No: Z8538

Rear Lamp Protector (Medium)

Specification:

- 230mm x 105mm x 80mm




Part No: Z8539

Rear Lamp Protector (Large)

Specification:

- 250mm x 140mm x 80mm




Part No: Z8540

Rear Lamp Protector (MP5)

Specification:

- 280mm x 159mm x 75mm




Part No: Z8577

Trailer Board + Fog Light (EUROPE ONLY)

Specification:

- 1370mm x 150mm
- 7 Pin Plug
- 6m Cable




Part No: Z8577/LED

LED Trailer Board + Fog Light (EUROPE ONLY)

Specification:

- 1370mm x 150mm
- 7 Pin Plug
- 9m Cable




Part No: Z9217

Trailer Board (UK & ROI ONLY)

Specification:

- 4ft Board
- 10m Cable




Part No: Z9219

Trailer board (UK & ROI ONLY)

Specification:

- 3ft Board
- 4m Cable



Vehicle Accessories

Part No: Z8826

12-80V Multi Tone Reversing Alarm

Specification:

- 107dB
- 12-36V
- 'Beep-Beep' Sound or White Noise
- 4 Wire

Dimensions:

- H 68mm
- W 102mm
- D 36mm



Part No: Z9801

12V Flashing Reversing Alarm



Specification:

- 12V
- 'Beep-Beep' Sound
- Flashing Light

Dimensions:

- O/D 58mm
- W 33mm

Part No: Z9501

12-36V Reversing Alarm (Beeping)



Specification:


- 107dB
- 12-36V
- 'Beep-Beep' Sound
- Twin Terminal

Dimensions:

- H 63mm
- W 103mm
- D 43mm

Part No: Z8819

12-80V LED Flashing Reversing Alarm



Specification:

- 12-80V
- 'Beep-Beep' or Multifrequency
- 3 x 1W LED's (Single Flash)
- 92-107dB



Part No: Z9800

12V Electromagnetic Snail Horn



Specification:

- 12V
- High Note
- Includes mounting bracket
- Single/Twin Terminal

VISION RED



QUALITY GUARANTEE
All products 100% tested.



SAFETY STANDARDS
All of our products meet the
appropriate safety standards
C € IP65 IP67 R10|65

Check individual product listings to confirm appropriate safety standard compliance.
Please contact us for our full terms & conditions of sale & product usage.
Should any item develop a fault, halt usage immediately and contact us for a swift resolution.